



# **2025 CORDLESS POWER TOOLS & OUTDOOR POWER EQUIPMENT**



## **2025 FULL LINE CATALOGUE**

Handheld Power Tools / Stationary Power Tools  
Lawn and Soil Care / Tree and Shrub Care / Watering and Drainage

[einhell.ca](http://einhell.ca)



Official Tool Expert





**CORDLESS POWER TOOLS & OUTDOOR POWER EQUIPMENT**

**Power Tools**

**Drilling/Driving- Kits & Bare Tools**  
 Cordless Drill/Drivers ..... 4-6  
**Impact Drivers/Wrenches- Kits & Bare Tools**  
 Cordless Impact Drivers ..... 6-7  
**Hammer Drills- Bare Tools**  
 Cordless Hammer Drills ..... 7  
**Screw Gun- Bare Tool**  
 Cordless Drywall Screwdriver ..... 8  
**Mixer- Bare Tool**  
 Cordless Mixer ..... 8  
**Saws- Bare Tools**  
 Cordless Circular Saw ..... 8  
 Cordless Reciprocating Saws ..... 9  
 Cordless Jigsaws ..... 9-10  
 Cordless Oscillating Multi-tools ..... 10  
 Cordless Table Saw ..... 11  
 Cordless Metal Cutting Bandsaw ..... 11  
**Tile Saw- Bare Tool**  
 Cordless Tile Saw ..... 11  
**Sanders- Bare Tools**  
 Cordless Palm Detail Sander ..... 12  
 Cordless Sheet Sander ..... 12  
 Cordless Random Orbit Sander ..... 12  
 Cordless File Belt Sander ..... 13  
**Angle Grinder- Bare Tool**  
 Cordless Angle Grinder ..... 13  
**Polishers- Bare Tools**  
 Cordless Car Polisher ..... 13  
 Cordless Polisher/Sander ..... 14  
**Specialty Tools- Bare Tools**  
 Cordless Portable Planer ..... 14  
 Cordless Biscuit Joiner ..... 14  
 Cordless Rotary Tool Station ..... 15  
 Cordless Heat Gun ..... 15  
 Cordless Handheld Paint Sprayer ..... 15  
 Cordless Caulk & Adhesive Gun ..... 16  
 Cordless Full Size Glue Gun ..... 16  
 Cordless Drain Auger ..... 16

**Vacuums/Wet-Dry Vacuums- Bare Tools**

Cordless Handheld Vacuums ..... 17  
 Cordless Stick Vacuum Cleaner ..... 17  
 Cordless Power Wet Mop ..... 18  
 Cordless Wet-Dry Vacuums ..... 18-19  
 Cordless Ash Vacuum ..... 20  
**Air Movement- Bare Tools**  
 Cordless Compact Blower ..... 20  
 Cordless Compact Air Compressor ..... 20  
 Cordless Inflators ..... 21-22  
 Cordless Fan ..... 22

**LED Lights- Bare Tools**

Cordless LED Work Lights ..... 22-23  
 Cordless Spotlight ..... 23  
 Cordless Hybrid LED Work Light ..... 23

**Practical Accessory- Bare Tool**

Cordless Bluetooth Speaker ..... 24  
**E-Cases & Accessories**  
 E-Case Tool Cases ..... 24

**Outdoor Power Equipment**

**Lawn Mower Kit with Battery and Charger**  
 Cordless Lawn Mower Kit ..... 36  
**String Trimmers- Bare Tools**  
 Cordless Stringless Blade Trimmer ..... 36  
 Cordless String Trimmers ..... 36-37  
**Hedge Trimmers- Kits and Bare Tools**  
 Cordless Hedge Trimmers ..... 37-38  
**Pole Hedge Trimmer- Pole Chain Saw- Bare Tools**  
 Cordless Pole Hedge Trimmer ..... 38  
 Cordless Pole Chain Saw ..... 39  
**Multi-Attachment Tools- Bare Tools**  
 Cordless 2-in-1 Combo ..... 39  
 Cordless 4-in-1 Combo ..... 39  
**Pruning/Shrub Shears- Bare Tools**  
 Cordless Pruning Shear ..... 40  
 Cordless Grass Shear & Hedge Trimmer ..... 40

**Chain Saws- Kits and Bare Tools**

Cordless Compact Pruning Chain Saw ..... 40  
 Cordless Chain Saws ..... 41

**Leaf Blowers/Vacuums/Mulchers- Kits & Bare Tools**

Cordless Leaf Blowers ..... 41-42  
 Cordless Leaf/Vacuum/Mulcher ..... 42

**Chipper/Shredder- Bare Tool**

Cordless Chipper/Shredder ..... 42

**Tiller/Cultivator- Bare Tool**

Cordless Tiller/Cultivator ..... 43

**Surface Cleaning- Bare Tool**

Cordless Patio & Surface Cleaner ..... 43

**Seed, Fertilizer/Salt Spreader- Bare Tools**

Cordless Universal Spreader ..... 43  
 Cordless Multi-purpose Spreader ..... 44

**Chemical/Pressure Sprayers- Bare Tools**

Cordless Chemical Sprayer ..... 44  
 Cordless Pressure Sprayer ..... 44

**Water Hose Reel & Trolley- Bare Tool**

Cordless Water Hose Reel ..... 45

**Pressure Washers- Bare Tools**

Cordless Pressure Washers ..... 45-46

**Water/Garden Pumps- Bare Tools**

Cordless Water Pump ..... 46  
 Cordless Submersible Water Pumps ..... 46-47

**Cooler/Warmer- Bare Tool**

Cordless Cooler/Warmer ..... 47

**Batteries, Chargers, Battery Starter Kits & Accessories**

Batteries ..... 52  
 Chargers ..... 52  
 Battery Starter Kits ..... 52  
 Cordless USB Battery Adaptor ..... 52  
 Cordless PXC Battery Wall Mounts ..... 52



**PROFESSIONAL CORDLESS POWER TOOLS & OUTDOOR POWER EQUIPMENT**

**Professional Power Tools**

**Drilling/Driving- Kits & Bare Tools**  
 Cordless Drill/Drivers ..... 26  
**Impact Drivers/Wrenches- Bare Tools**  
 Cordless Impact Drivers ..... 27  
 Cordless Impact Wrenches ..... 27-28  
**Rotary Hammers- Bare Tools**  
 Cordless SDS-Plus Rotary Hammers ..... 28  
**Saws- Bare Tools**  
 Cordless Cut-off Saw ..... 29  
 Cordless Circular Saw ..... 29  
 Cordless Reciprocating Saw ..... 29  
 Cordless Jigsaws ..... 30  
 Cordless Oscillating Multi-tool ..... 30  
**Sanders- Bare Tools**  
 Cordless Random Orbit Sander ..... 31  
 Cordless Belt Sander ..... 31  
**Drywall Sander- Bare Tool**  
 Cordless Drywall Sander ..... 31  
**Angle Grinders- Bare Tools**  
 Cordless Angle Grinders ..... 32  
**Specialty Tools- Bare Tools**  
 Cordless 18 Ga. Stapler ..... 32  
 Cordless 18 Ga. Nailer ..... 33  
 Cordless Compact Routers ..... 33  
**LED Lights- Bare Tools**  
 Cordless Folding Panel LED Work Lights ..... 34

**Professional OPE Tools**

**Lawn Mower Kits with Batteries and Charger(s)**  
 Cordless Lawn Mower Kits ..... 49  
**Pruning/Shrub Shear- Bare Tool**  
 Cordless Pole Pruning Shear ..... 49  
**Chain Saws- Bare Tools**  
 Cordless Chain Saws ..... 50  
**Leaf Blowers/Vacuums/Mulchers- Kits & Bare Tools**  
 Cordless Leaf Blowers ..... 50-51  
 Cordless Leaf/Vacuum/Mulcher ..... 51  
**Auger- Bare Tool**  
 Cordless Auger ..... 51

**OUR PROMISE TO DIY-PROS & PROFESSIONALS**

True Pros always give MORE...  
 Because every move has to be perfect.  
 Where precision is a must.  
 And every second counts.  
 They expect tools to give them MORE.  
 Now Einhell gives them MORE.

- MORE PERFORMANCE.\***
- MORE ENDURANCE.\***
- MORE WARRANTY.\*\***
- MORE LIFETIME.\***
- MORE FUNCTIONALITY.\***



**MORE POWER FOR PROS.**

\*in comparison to carbon brush motors.  
 \*\*on Brushless motors upon online registration.

## NUMERIC ORDER

2048425.....	47	4020421.....	22	4501781.....	50
2070120.....	21	4020455.....	20	4501786.....	41
2071020.....	21	4020463.....	21	4504220.....	11
2093303.....	13	4140145.....	45	4504224.....	11
2093325.....	14	4140161.....	46	4510045.....	27
2347124.....	17	4170427.....	47	4510060.....	6
2347137.....	19	4173779.....	45	4510062.....	27
2347141.....	19	4173780.....	45	4510064.....	6
2347165.....	18	4180403.....	46	4510071.....	28
2347184.....	17	4181565.....	46	4510081.....	27
2347195.....	17	4181595.....	47	4513893.....	26
2361701.....	20	4257245.....	5	4513906.....	28
3408005.....	20	4257786.....	32	4513928.....	4
3408036.....	22	4257796.....	33	4513937.....	7
3408304.....	40	4258765.....	8	4513945.....	4
3408350.....	49	4259985.....	8	4513961.....	7
3410314.....	40	4259992.....	31	4513977.....	28
3410583.....	39	4260027.....	15	4513979.....	4
3410584.....	38	4301191.....	11	4514135.....	22
3410709.....	37	4321233.....	10	4514137.....	23
3410789.....	39	4321235.....	9	4514142.....	52
3410923.....	38	4321263.....	30	4514146.....	23
3410963.....	38	4321267.....	30	4514151.....	24
3411119.....	36	4326307.....	9	4514156.....	52
3411245.....	36	4326311.....	29	4514165.....	16
3411260.....	37	4326318.....	9	4514173.....	34
3411295.....	37	4331211.....	29	4514176.....	34
3411325.....	39	4331215.....	8	4514181.....	23
3413273.....	49	4340451.....	11	4514293.....	6
3413298.....	36	4345401.....	14	4514323.....	7
3413322.....	49	4350413.....	33	4514350.....	5
3415411.....	43	4350415.....	33	4514351.....	5
3415440.....	44	4350631.....	14	4514360.....	26
3424211.....	43	4419370.....	15	4514380.....	26
3425221.....	44	4431122.....	13	4520502.....	15
3425231.....	44	4431143.....	32	4522201.....	16
3430730.....	42	4431147.....	32	4522251.....	16
3431205.....	43	4432001.....	29	4540022.....	24
3433322.....	49	4460721.....	12	4540023.....	24
3433543.....	42	4460732.....	12	4540024.....	24
3433551.....	41	4461010.....	13	4540025.....	24
3433556.....	50	4462012.....	12	4540026.....	24
3433617.....	51	4462021.....	31	4600015.....	41
3433645.....	51	4465165.....	10	4600030.....	50
3433647.....	42	4465191.....	30	4600035.....	40
3437015.....	51	4465196.....	10		
3437120.....	18	4466271.....	31		

## CORPORATE WARRANTY POLICY

### 2 YEAR LIMITED WARRANTY

“Einhell” branded power tools, garden tools, and accessories. Einhell products and accessories have a limited 2 year warranty against material and electrical defects from the date of purchase.

### UPON ONLINE REGISTRATION

The following warranty extensions are available on einhell.ca website



### THE EINHELL GUARANTEE PROMISE.

- **Einhell Extension Product Warranty**  
Warranty extension for all Einhell products to 3 years.
  - **Einhell Extension Power X-Change Battery Warranty**  
Warranty extension for Power X-Change batteries to 3 years.
  - **Einhell Extension PurePOWER Brushless Warranty**  
Warranty extension for all PurePOWER Brushless products to 10 years.\*
- \* This warranty covers only defects in the brushless motor that are due to a material or manufacturing defect!



Einhell entered the Canadian market through King Canada, a leading Canadian company specializing in woodworking and metalworking equipment.

Since then, King Canada has proudly offered Einhell's cordless power tools and garden tools to Canadian consumers. Together, we provide a one-stop shop for all home improvement and workshop needs, and after-sales service & repair.



Einhell Canada/King Canada 700 Meloche, Dorval, Quebec H9P 2Y4



# ***CORDLESS POWER TOOLS***

Handheld Power Tools / Stationary Power Tools



Drilling & Driving - Kits & Bare Tools

**18V 3/8" CORDLESS DRILL/DRIVER KIT**

(w/ 2.0 Ah Battery and Charger)

- » Electronic speed control for work adapted to application
- » LED light for optimum operation in dark areas
- » Extremely easy to work with due to ergonomic design and softgrip

Standard Accessories

- » 1 x 2.0 Ah Power X-Change battery & charger



**Art. No. 4513928**

**TC-CD 18/35 Li KIT**

Battery	18V   2.0 Ah   Li-Ion
Number of gears	1
Variable speed range (gear 1)	0 - 550 RPM
Max. torque	310 in/lbs (35 Nm)
Number of torque steps	21 settings
Drill chuck	3/8"   double sleeve
Product weight	3.1 lbs
*1 x 2.0 Ah battery & charger included	Art. No. 4513928 TP-CD 18/35 Li Kit

<sup>1)</sup>	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<sup>2)</sup>	295 screws	366 screws	590 screws	760 screws	880 screws	1180 screws

<sup>1)</sup> Battery capacity <sup>2)</sup> Quantity of 2-3/8" wood screws

Drilling & Driving - Kits & Bare Tools

**18V 1/2" CORDLESS DRILL/DRIVER**

- » Practical belt clip for efficient and safe operation
- » 2-speed gearing for powerful drilling
- » Electronic speed control for work adapted to application
- » LED lamp to illuminate the work area
- » Extremely easy to work with due to ergonomic design and softgrip surfaces



**Art. No. 4513945**

**TE-CD 18/40 Li-i**

Number of gears	2
Idle speed (gear 1)	0 - 400 RPM
Idle speed (gear 2)	0 - 1,500 RPM
Max. torque	354 in/lbs (40 Nm)
Number of torque steps	21 settings
Drill chuck	1/2"   single sleeve
Product weight	2.4 lbs
*Recommended for maximum results; 2.0 or 2.5 Ah battery *Battery and charger sold separately	Art. No. 4513945 TE-CD 18/40 Li-i

<sup>1)</sup>	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<sup>2)</sup>	305 screws	380 screws	610 screws	770 screws	920 screws	1220 screws

<sup>1)</sup> Battery capacity <sup>2)</sup> Quantity of 2-3/8" wood screws

Drilling & Driving - Kits & Bare Tools

**18V 1/2" CORDLESS DRILL/DRIVER KIT**

(w/ 2 x 2.0 Ah Batteries, Charger & Carry Case)

- » 2-speed gearing for powerful drilling and screwing
- » Practical belt clip for efficient and safe operation
- » LED lamp to illuminate the work area
- » Extremely easy to work with ergonomic design and softgrip surfaces



**Art. No. 4513979**

**TE-CD 18/40-1 Li (2x2.0Ah)**

Battery	18V   2.0 Ah   Li-Ion
Number of gears	2
Idle speed (gear 1)	0 - 400 RPM
Idle speed (gear 2)	0 - 1,500 RPM
Max. torque	354 in/lbs (40 Nm)
Number of torque steps	21 settings
Drill chuck	1/2"   single sleeve
Product weight	4.8 lbs
*2 x 2.0 Ah batteries & charger included	Art. No. 4513979 TP-CD 18/40-1 Li

<sup>1)</sup>	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<sup>2)</sup>	305 screws	380 screws	610 screws	770 screws	920 screws	1220 screws

<sup>1)</sup> Battery capacity <sup>2)</sup> Quantity of 2-3/8" wood screws

Standard Accessories

- » 2 x 2.0 Ah Power X-Change batteries
- » 30 minute charger
- » Carry case

Drilling & Driving - Kits & Bare Tools

**18V CORDLESS 1/2" DRILL/DRIVER & 1/4" IMPACT KIT** (w/ 2 x 2.0 Ah Batteries, Charger & Carry Bag)

- 4513945 Features:
- » 2-speed gearing for powerful drilling and screwing
  - » Complete with LED lamp to illuminate work area
  - » Practical belt clip for efficient and safe operation
  - » Ergonomic design and softgrip surfaces

- 4510060 Features:
- » Hammer screwdriver – for effortlessly tightening large/ long screw
  - » Low reverse torque reduces strain on the wrists
  - » 1/4" hex. bit (Recommendation: impact-resistant bits)
  - » Speed control for fine adjustment on delicate jobs
  - » 3 powerful LED to illuminate the work area
  - » Rugged aluminum housing and rubber supports for protection

Standard Accessories

- » 2 x 2.0 Ah Power X-Change battery
- » 30 min charger & carry bag



Drilling & Driving - Kits & Bare Tools

**18V 3/8" CORDLESS DRILL/DRIVER**

- » **Brushless motor** – more power and longer runtimes
- » High-grade and single sleeve chuck
- » 2-speed gearing for powerful drilling and screwing
- » Electronic speed control for work adapted to application
- » LED light for optimum operation in dark areas
- » Extremely easy to work with due to ergonomic design and softgrip
- » Small and light weight cordless drill for working without fatigue



Drilling & Driving - Kits & Bare Tools

**18V 3/8" CORDLESS DRILL/DRIVER KIT** (w/ 2 x 2.0 Ah Batteries, Charger & Carry Case)

- » **Brushless motor** – more power and longer runtimes
- » 2-speed gearing for powerful drilling and screwing
- » Electronic speed control to suit material and application
- » LED light for optimum operation in dark areas
- » Extremely easy to work with due to ergonomic design and softgrip

Standard Accessories



- » 2 x 2.0 Ah Power X-Change batteries
- » 30 minute charger
- » Carry case





Art. No. 4257245

TE-TK 18 Li KIT

*2 x 2.0 Ah batteries, charger & carry bag included	Art. No. 4257245 TE-TK 18 Li Kit	
-----------------------------------------------------	-------------------------------------	-------------------------------------------------------------------------------------

 <sup>1)</sup>	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	305 screws	380 screws	610 screws	770 screws	920 screws	1220 screws

4513945 <sup>1)</sup> Battery capacity <sup>2)</sup> Quantity of 2-3/8" wood screws

 <sup>1)</sup>	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	185 screws	230 screws	370 screws	520 screws	560 screws	740 screws



4510060 <sup>1)</sup> Battery capacity <sup>2)</sup> Quantity of 2-3/8" wood screws

Art. No. 4514350

TE-CD 18/40 Li BL- BRUSHLESS

Number of gears	2
Idle speed (gear 1)	0 - 350 RPM
Idle speed (gear 2)	0 - 1,450 RPM
Max. torque	354 in/lbs (40 Nm)
Number of torque steps	20+1 settings
Drill chuck	3/8"   single sleeve
Product weight	2.6 lbs

*Recommended for maximum results: 2.5 Ah battery	Art. No. 4514350	
*Battery and charger sold separately	TE-CD 18/40 Li BL	


 <sup>1)</sup>	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	300 screws	380 screws	600 screws	780 screws	900 screws	1200 screws



<sup>1)</sup> Battery capacity <sup>2)</sup> Quantity of 2-3/8" wood screws

Art. No. 4514351

TE-CD 18/40 Li BL KIT- BRUSHLESS

Battery	18V   2.0 Ah   Li-Ion
Number of gears	2
Idle speed (gear 1)	0 - 350 RPM
Idle speed (gear 2)	0 - 1,450 RPM
Max. torque	354 in/lbs (40 Nm)
Number of torque steps	20+1 settings
Drill chuck	3/8"   single sleeve
Product weight	2.6 lbs

*2 x 2.0 Ah battery, charger & carry bag included	Art. No. 4514351	
	TE-CD 18/40 Li BL KIT	

 <sup>1)</sup>	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	300 screws	380 screws	600 screws	780 screws	900 screws	1200 screws

<sup>1)</sup> Battery capacity <sup>2)</sup> Quantity of 2-3/8" wood screws

## Drilling &amp; Driving - Kits &amp; Bare Tools

**18V 3/8" CORDLESS RIGHT ANGLE DRILL/DRIVER**

- » Innovative swiveling battery holder
- » Handy right angle design is ideal for narrow and hard-to-reach areas
- » Large switch for different grip positions
- » Electronic variable speed control
- » LED light for optimum operation in dark areas
- » High-quality 3/8" keyless drill chuck
- » Right and left rotation
- » Robust metal gearbox for long service life


**Art. No. 4514293**
**TE-AD 18 Li**

Variable speed range (gear 1)	0 - 1100 RPM
Max. torque	398 in/lbs (45 Nm)
Drill chuck	3/8"   single sleeve
Product weight	2.6 lbs
*Recommended for maximum results: 2.0 or 2.5 Ah battery *Battery and charger sold separately	
Art. No. 4514293 TE-AD 18 Li	7 72995 01936 6

<sup>1)</sup>	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<sup>2)</sup>	205 screws	260 screws	415 screws	535 screws	620 screws	830 screws

<sup>1)</sup> Battery capacity <sup>2)</sup> Quantity of 2-3/8" wood screws

## Impact Drivers / Wrenches - Kits &amp; Bare Tools

**18V 1/4" CORDLESS IMPACT DRIVER**

- » Practical belt clip for efficient and safe operation
- » Hammer screwdriver – for effortlessly tightening large/long screw
- » Low reverse torque reduces strain on the wrists during operation
- » Short, lightweight design with ergonomic softgrip surfaces
- » 1/4" hex. bit (Recommendation: impact-resistant bits)
- » Speed control for fine adjustment on delicate jobs
- » 3 powerful LED included for good all round illumination
- » Rugged aluminum housing and rubber supports for protection


**Art. No. 4510060**
**TE-CI 18/1 Li**

No load speed	0 - 2,300 RPM
Impacts per minutes	0 - 2,900 IPM
Tool collet (hex.)	1/4"
Type of bit interlock	Mechanic locking sleeve
Max. torque	1,240 in/lbs (140 Nm)
Product weight	3.1 lbs
*Recommended for maximum results: 2.0 or 2.5 Ah battery *Battery and charger sold separately	
Art. No. 4510060 TE-CI 18/1 Li	7 72995 01757 7

<sup>1)</sup>	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<sup>2)</sup>	185 screws	230 screws	370 screws	520 screws	560 screws	740 screws

<sup>1)</sup> Battery capacity <sup>2)</sup> Quantity of 2-3/8" wood screws

## Impact Drivers / Wrenches - Kits &amp; Bare Tools

**18V 1/4" CORDLESS IMPACT DRIVER KIT**

(w/ 2.0 Ah Battery, Charger &amp; Soft Bag)

- » Practical belt clip for efficient and safe operation
- » Hammer screwdriver – for effortlessly tightening large/long screws
- » Low reverse torque reduces strain on the wrists
- » Short, lightweight design with ergonomic softgrip surfaces
- » 1/4" hex. bit (Recommendation: impact-resistant bits)
- » Speed control for fine adjustment on delicate jobs
- » 3 powerful LED included for good illumination
- » Rugged aluminum housing and rubber supports for protection


**Art. No. 4510064**
**TE-CI 18/1 Li KIT SB**

Battery	18V   2.0 Ah   Li-Ion
No load speed	0 - 2,300 RPM
Impacts per minute	0 - 2,900 IPM
Tool collet (hex.)	1/4"
Type of bit interlock	Mechanic locking sleeve
Max. torque	1,240 in/lbs (140 Nm)
Product weight	3.1 lbs
*1 x 2.0 Ah battery, charger & soft bag included	
Art. No. 4510064 TE-CI 18/1 Li Kit SB	7 72995 01979 3

<sup>1)</sup>	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<sup>2)</sup>	185 screws	230 screws	370 screws	520 screws	560 screws	740 screws

<sup>1)</sup> Battery capacity <sup>2)</sup> Quantity of 2-3/8" wood screws

**Standard Accessories**

- » 1 x 2.0 Ah Power X-Change battery & charger
- » Soft bag



*Impact Drivers / Wrenches - Kits & Bare Tools*

**18V 3/8" CORDLESS RATCHET**

- » Compact hand ratchet, ideal for automotive applications
- » Robust 3/8" external square chuck
- » High torque for tightening and loosening screws and nuts
- » Easy switching for clockwise/counterclockwise rotation
- » Stepless electronic speed control for application-orientated work
- » Ergonomic design with softgrip
- » Large switch for different grip positions
- » LED light for optimal illumination of the work area



**Standard Accessory**

- » 3/8" to 1/2" square chuck adapter

*Hammer Drills - Bare Tools*

**18V 1/2" CORDLESS HAMMER DRILL**

- » 2 functions: Drilling/impact drilling
- » Rugged 1/2" quick-change drill chuck for easy tool change
- » Electronic speed control for fine adjustment
- » Ergonomic softgrip surfaces with additional handle
- » Reverse function for drilling and screwing
- » Continuous operation lock for comfortable and easy operation
- » Adjustable drilling depth stop made of solid metal



*Hammer Drills - Bare Tools*

**18V 1/2" CORDLESS HAMMER DRILL/DRIVER**

- » Impact drilling function for universal operation
- » 2-speed gearing for powerful drilling and screwing
- » Practical belt clip for efficient and safe operation
- » Complete with LED lamp to illuminate work area
- » Extremely easy to work with ergonomic design and softgrip surfaces



**Art. No. 4514323**

**TE-RW 18/60 Li**

No load speed	0 - 260 RPM
Max. torque	531 in/lbs (60 Nm)
Tool collet	3/8"
Collet adapter	1/2"
Product weight	1.8 lbs

\*Recommended for maximum results: 2.0 or 2.5 Ah battery  
 \*Battery and charger sold separately

Art. No. 4514323 TE-RW 18/60 Li	
------------------------------------	--

	<sup>1)</sup> 2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	<sup>2)</sup> 305 pcs	385 pcs	610 pcs	790 pcs	920 pcs	1220 pcs

<sup>1)</sup> Battery capacity <sup>2)</sup> Max. quantity of tightening/loosening nuts/bolts

**Art. No. 4513961**

**TC-ID 18 Li**

No load speed	0 - 2,600 RPM
Hammer speed	41,600 BPM
Drilling capacity (wood)	1"
Drilling capacity (concrete)	1/2"
Drilling capacity (metal)	3/8"
Drill chuck	1/2"   single sleeve
Product weight	3.5 lbs

\*Recommended for maximum results: 2.0 or 2.5 Ah battery  
 \*Battery and charger sold separately

Art. No. 4513961 TC-ID 18 Li	
---------------------------------	--

	<sup>1)</sup> 2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	<sup>2)</sup> 60 holes	75 holes	120 holes	156 holes	180 holes	240 holes

<sup>1)</sup> Battery capacity <sup>2)</sup> Quantity of 1/4" x 1-3/4" long holes in red brick

**Art. No. 4513937**

**TE-CD 18/48 Li-i**

Number of gears	2
Idle speed (gear 1)	0 - 400 RPM
Idle speed (gear 2)	0 - 1,500 RPM
Hammer speed (gear 1)	0 - 6,400 BPM
Hammer speed (gear 2)	0 - 24,000 BPM
Max. torque	390 in/lbs (44 Nm)
Number of torque steps	23 settings
Drill chuck	1/2"   single sleeve
Drilling capacity in concrete	13/32"
Product weight	3.1 lbs

\*Recommended for maximum results: 2.0 or 2.5 Ah battery  
 \*Battery and charger sold separately

Art. No. 4513937 TE-CD 18/48 Li-i	
--------------------------------------	--

	<sup>1)</sup> 2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	<sup>2)</sup> 310 screws	380 screws	620 screws	780 screws	910 screws	1230 screws

<sup>1)</sup> Battery capacity <sup>2)</sup> Quantity of 2-3/8" wood screws

*Screw Gun - Bare Tool*

**18V CORDLESS DRYWALL SCREWDRIVER**

- » Adjustable depth stop for precise depth setting
- » Low-fatigue operation thanks to continuous operation setting
- » Integrated pressure coupling for user-friendly screw driving
- » Ergonomic softgrip surfaces
- » Complete with LED lamp to illuminate the work area
- » Quick and intuitive bit change thanks to the magnetic bit holder
- » Practical belt clip for efficient and safe operation
- » Comes in E-Box case



**Art. No. 4259985**

**TE-DY 18 Li**

No load speed	0 - 4,000 RPM
Tool collet	1/4"
Product weight	2.2 lbs

*Recommended for maximum results: 2.0 or 2.5 Ah battery	Art. No. 4259985	
*Battery and charger sold separately	TE-DY 18 Li	

<sup>1)</sup>	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<sup>2)</sup>	1100 screws	1350 screws	2200 screws	2800 screws	3300 screws	4400 screws

<sup>1)</sup> Battery capacity <sup>2)</sup> Quantity of 1" screws in drywall

*Mixer - Bare Tool*

**18V CORDLESS MORTAR/GROUT MIXER**

- » Electronic speed control to suit material and application
- » Ergonomically shaped handle for comfortable operation
- » Durable and rugged aluminum housing
- » Softstart function for comfortable and safe working
- » Rugged M14 mixing paddle mount



**Art. No. 4258765**

**TE-MX 18 Li**

Mixing paddle thread	M14
Mixing paddle diameter	4" (100 mm)
No load speed	0 - 620 RPM
Product weight	4.1 lbs

*Recommended for maximum results: 4.0 Ah battery	Art. No. 4258765	
*Battery and charger sold separately	TE-MX 18 Li	

<sup>1)</sup>	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<sup>2)</sup>	20 min	25 min	40 min	52 min	60 min	80 min

<sup>1)</sup> Battery capacity <sup>2)</sup> Max. operating time in idle mode

**Standard Accessory**

- » 4" diameter mortar mixing paddle

*Saws - Bare Tools*

**18V 6-1/2" CORDLESS CIRCULAR SAW**

- » Easy adjustment without tools (cutting depth, tilt angle)
- » Dust extractor adapter to keep the work place clean
- » Ergonomic softgrip surfaces
- » Complete with LED lamp to illuminate the work area



**Art. No. 4331215**

**TE-CS 18/165 Li**

No load speed	4,200 RPM
Saw blade	6-1/2" x 5/8" x 1/16"
Number of saw teeth	24 teeth
Cutting depth at 45°	1-3/8"
Cutting depth at 90°	2-1/8"
Product weight	5.3 lbs

*Recommended for maximum results: 4.0 Ah battery	Art. No. 4331215	
*Battery and charger sold separately	TE-CS 18/165 Li	

<sup>1)</sup>	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<sup>2)</sup>	108 ft	131 ft	210 ft	270 ft	321 ft	419 ft

<sup>1)</sup> Battery capacity <sup>2)</sup> Rip cutting 3/4" OSB

**Standard Accessory**

- » 6-1/2" x 5/8" x 1/16" circular saw blade

Saws - Bare Tools

### 18V CORDLESS COMPACT ONE-HANDED RECIPROCATING SAW

- » Lightweight and handy design, ideal for one-handed operation
- » Tool-free blade changes for quick application
- » Adjustable soleplate for optimum blade use
- » Ergonomic softgrip surfaces



Standard Accessories

- » 1 x 6" - 6 TPI wood saw blade
- » 1 x 6" - 18 TPI metal saw blade

Art. No. 4326318

TE-AP 18/13 Li

No load speed	0 - 3,000 SPM
Stroke length	1/2"
Cutting depth in wood	2"
Cutting depth in metal	5/32"
Product weight	2.5 lbs
*Recommended for maximum results: 2.0 or 2.5 Ah battery *Battery and charger sold separately	Art. No. 4326318 TE-AP 18/13 Li

<sup>1)</sup>	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<sup>2)</sup>	242 cuts	313 cuts	484 cuts	629 cuts	726 cuts	976 cuts

<sup>1)</sup> Battery capacity <sup>2)</sup> Quantity of max. cuts in 1-3/8" round timber

Saws - Bare Tools

### 18V CORDLESS RECIPROCATING SAW

- » Tool-free blade changes for quick application
- » Adjustable soleplate for optimum blade use
- » Ergonomic softgrip surfaces
- » Rubber supports to protect the housing



Standard Accessory

- » 1 x 6" - 7 TPI wood saw blade

Art. No. 4326307

TE-AP 18/22 Li

No load speed	0 - 2,600 SPM
Stroke length	7/8"
Cutting depth in wood	4"
Cutting depth in metal	1/4"
Product weight	3.5 lbs
*Recommended for maximum results: 2.0 or 2.5 Ah battery *Battery and charger sold separately	Art. No. 4326307 TE-AP 18/22 Li

<sup>1)</sup>	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<sup>2)</sup>	180 cuts	240 cuts	370 cuts	570 cuts	580 cuts	740 cuts

<sup>1)</sup> Battery capacity <sup>2)</sup> Quantity of max. cuts in 1-3/8" round timber

Saws - Bare Tools

### 18V VARIABLE SPEED CORDLESS JIGSAW

- » Very smooth operation for exact cutting
- » Selectable orbital action for fast cutting
- » Tool-free universal blade holder
- » Includes dust blow-off function for optimum visibility
- » Integrated plastic soleplate for sensitive workpieces



Standard Accessory

- » 1 x KWB wood saw blade

Art. No. 4321235

TC-JS 18 Li

Strokes per minute	0 - 2,700 SPM
Stroke	1"
Cutting capacity in wood	3-1/4"
Cutting capacity in plastic	1/2"
Cutting capacity in metal	13/32"
Max. bevel capacity	45°
Product weight	3.6 lbs
*Recommended for maximum results: 2.0 or 2.5 Ah battery *Battery and charger sold separately	Art. No. 4321235 TC-JS 18 Li

<sup>1)</sup>	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<sup>2)</sup>	31 ft	36 ft	65 ft	98 ft	104 ft	131 ft

<sup>1)</sup> Battery capacity <sup>2)</sup> Rip cutting 3/4" OSB

Saws - Bare Tools


### 18V VARIABLE SPEED CORDLESS JIGSAW



- » Very smooth operation for exact cutting
- » Selectable pendulum action for fast cutting
- » Tool-free universal blade holder
- » Includes dust blow-off function for optimum visibility
- » Complete with LED lamp to illuminate the work area
- » Integrated plastic sliding element for sensitive workpieces
- » Ergonomic softgrip surfaces
- » Complete with chip guard for cuts without splintering



Art. No. 4321233

TE-JS 18/80 Li

Strokes per minute	0 - 2,400 SPM
Stroke	1"
Cutting depth in wood	3-1/4"
Cutting depth in plastic	1/2"
Cutting depth in metal	5/32"
Max. bevel capacity	47°
Product weight	3.8 lbs
*Recommended for maximum results: 2.0 or 2.5 Ah battery *Battery and charger sold separately	
Art. No. 4321233 TE-JS 18/80 Li	

 <sup>1)</sup>	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	31 ft	36 ft	65 ft	98 ft	104 ft	131 ft

<sup>1)</sup> Battery capacity <sup>2)</sup> Rip cutting 3/4" OSB

Saws - Bare Tools


### 18V CORDLESS OSCILLATING MULTI-TOOL



- » Quick release for tool-free change of accessory
- » Electronic speed control for material and application
- » Oscillation decoupled battery uptake for reduction of vibration
- » Convenient accessory change thanks to magnetic tool holder
- » 12-pin-tool universal blade adaptor for flexible positioning of accessories
- » 3 functions: grinding, sawing and scraping
- » Ergonomic softgrip surfaces



Art. No. 4465196

TE-MG 18/1 Li

Angle of oscillation	3.2° (total)
Oscillating speed	10,000 - 33,000 OPM
No load speed	5000 - 16,500 RPM
Sandpaper size	3.5" x 3.5" x 3.5"
Product weight	1.8 lbs
*Recommended for maximum results: 2.0 or 2.5 Ah battery *Battery and charger sold separately	
Art. No. 4465196 TE-MG 18/1 Li	

 <sup>1)</sup>	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	721 cuts	901 cuts	1442 cuts	1875 cuts	2163 cuts	2884 cuts

<sup>1)</sup> Battery capacity <sup>2)</sup> Cutting through round plastic Ø 3/8"

Standard Accessories

- » Triangular grinding/sanding plate
- » 9 x grinding/sanding paper (3 x 60, 80, 120 Grit)
- » Scraper
- » Plunge-cut saw blade for wood and plastic (HCS)
- » Segment saw blade for wood, plastic and soft metal (HSS)

Saws - Bare Tools


### 18V CORDLESS OSCILLATING MULTI-TOOL



- » Quick release for tool-free change of equipment
- » Easy accessory change thanks to magnetic tool fixation
- » Electronic speed control for material and application
- » Oscillation decoupled battery uptake for reduction of vibration
- » Ergonomic softgrip surfaces
- » 12-pin-tool universal blade adaptor for flexible positioning of equipment



Art. No. 4465165

VARRITO

Angle of oscillation	3.2° (total)
Oscillating speed	22,000 - 40,000 OPM
No load speed	11,000 - 20,000 RPM
Sandpaper size	3.5" x 3.5" x 3.5"
Product weight	3 lbs
*Recommended for maximum results: 2.0 or 2.5 Ah battery *Battery and charger sold separately	
Art. No. 4465165 VARRITO	

 <sup>1)</sup>	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	720 cuts	900 cuts	1440 cuts	1880 cuts	2160 cuts	2880 cuts

<sup>1)</sup> Battery capacity <sup>2)</sup> Cutting through round plastic Ø 3/8"

Standard Accessories

- » Triangular grinding/sanding plate
- » 9 x grinding/sanding paper (3 x 60, 80, 120 Grit)
- » Scraper
- » Plunge-cut saw blade for wood and plastic (HCS)
- » BIM plunge-cut saw blade for metal
- » Segment saw blade for wood, plastic and soft metal (HSS)
- » Diamond segment saw blade for tile joint

Saws - Bare Tools

### 36V 8-1/4" CORDLESS TABLE SAW

- » TWIN-PACK technology: 2 x 18V Power X-Change batteries required
- » Portable, mobile, with no annoying power cord
- » Sturdy aluminum table
- » Small and compact, ideal for limited space or mobile use
- » Softstart function protects motor and the gear unit
- » Ultra-sturdy rip fence for exact longitudinal cuts
- » High-grade carbide-tipped saw blade, developed for cordless saws
- » Extractor connection on housing and saw blade guard for less mess
- » Holders for stowing away all the attachments on the equipment



**Standard Accessories**

- » 8-1/4" saw blade, extrator adapter & push stick

Saws - Bare Tools

### 18V 5" CORDLESS COMPACT METAL CUTTING BANDSAW

- » Spark-free cutting of metal for maximum safety
- » 6 speed settings for almost every application
- » LED light for ideal illumination of the cutting area
- » Quick-release lever for changing the bandsaw blade without any tools
- » Handle is adjustable without tools
- » Comes with a second replacement bandsaw blade



**Standard Accessories**

- » 2 x Bandsaw blades (44-7/8" x 1/2" x 0.025")



Tile Saw - Bare Tool

### 18V 4-1/2" CORDLESS WET TILE SAW

- » Flexible usage everywhere due to battery driven motor and low weight
- » Tilting table with angle scale (0 - 45°)
- » Integrated water tank for tile saw blade cooling and dust reduction
- » Non-slip and vibration rubber feet
- » Rip fence with angle scale for exact cuts
- » Adjustable 45° angle stop for miter cuts
- » Carry handle for easy transport
- » Blade guard provides safety for the end user



**Standard Accessories**

- » Diamond tile saw blade & adjustment keys

**Art. No. 4340451**

**TE-TS 36/210 Li**

No load speed	3,800 RPM
Saw blade	8-1/4" 5/8"
Number of saw teeth	40 teeth
Bevel range	90° - 45°
Angle stop	-60° - +60°
Max. cutting height 90/45°	2-3/4" / 1-3/4"
Max. cutting width right	24-3/4"
Main table dimensions	18-7/8" x 18-3/8"
Max. support surface	18-7/8" x 21-1/8"
Diameter of extraction connection	1-3/8"
Product weight	28.6 lbs

\*Recommended for maximum results: 2 x 4.0 Ah batteries  
\*Batteries and charger sold separately

Art. No. 4340451  
TE-TS 36/210 Li



	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	196 ft	232 ft	400 ft	524 ft	603 ft	800 ft

1) Battery capacity 2) Max. cutting distance in 3/4" OSB

**Art. No. 4504220**

**TE-MB 18/127 Li**

Blade speed	393.7 SFPM
Max. cutting width	5"
Max. cutting height	4-1/2"
Blade size	44-7/8" x 1/2" x 0.025"
Blade TPI	10-14 TPI
Product weight	12.1 lbs

\*Recommended for maximum results: 4.0 Ah battery  
\*Battery and charger sold separately

Art. No. 4504220  
TE-MB 18/127 Li



	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	30 cuts	35 cuts	60 cuts	78 cuts	90 cuts	120 cuts

1) Battery capacity 2) Quantity of cuts in 1-1/2" x 1-1/2" x 1/16" square steel tube

**Optional Accessory**

Miter Stand for Cordless Metal Bandsaw	Art. No. 4504224	
----------------------------------------	------------------	--

**Art. No. 4301191**

**TE-TC 18/115 Li**

No load speed	3,800 RPM
Cutting capacity at 45°	5/8"
Cutting capacity at 90°	15/16"
Blade	Ø 4-1/2" - Ø 7/8"
Product weight	7.5 lbs

\*Recommended for maximum results: 2.5 or 4.0 Ah battery  
\*Battery and charger sold separately

Art. No. 4301191  
TE-TC 18/115 Li



	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	295 inches	371 inches	590 inches	767 inches	885 inches	1180 inches

1) Battery capacity 2) Max. length of cutting 9/16" thick ceramic tile

Sanders - Bare Tools


## 18V CORDLESS PALM DETAIL SANDER

- » Ergonomic softgrip surfaces
- » Small, compact and easy to handle
- » Ideal for sanding corners and small surfaces
- » "Extreme Fix" fastening for quick change of sanding paper
- » High removal rate with "Extreme Fix" due to reduced slippage
- » Solid, rugged aluminum fan impeller for smooth running
- » Active dust extraction keeps the work area clean



**Standard Accessories**

- » Vacuum cleaner adapter
- » 6 sheets of sanding paper (3 x 120 Grit | 3 x 240 Grit)



Art. No. 4460721

TE-OS 18/150 Li

No load speed	12,000 RPM
Oscillating speed	24,000 OPM
Oscillating circuit	1/16"
Sanding area	6" x 6" x 4"
Sanding paper size (velcro)	6" x 6" x 4"
Product weight	1.7 lbs

*Recommended for maximum results: 2.0 or 2.5 Ah battery	Art. No. 4460721	
*Battery and charger sold separately	TE-OS 18/150 Li	

<sup>1)</sup>	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah
<sup>2)</sup>	27 min	34 min	55 min	70 min

<sup>1)</sup> Battery capacity <sup>2)</sup> Max. operating time in idle mode

**Optional Accessory**

15 pc. Sandpaper Kit (5 x 60, 5 x 120, 5 x 180 Grit)	Art. No. 4460736	
------------------------------------------------------	------------------	--

Sanders - Bare Tools


## 18V CORDLESS 1/4 SHEET SANDER

- » Powerful orbital sander with large orbital diameter of 5/64"
- » Compact design with softgrip for better control
- » Perfect for sanding flat surfaces
- » Aluminum base plate
- » Fast sandpaper change thanks to hook-and-loop fastening
- » Clamping function for 1/4 sheet without hook-and-loop fastening
- » Integrated dust extractor with connector for vacuum hook-up or use with included dust collection box with dust trap and pleated filter



**Standard Accessories**

- » 2 sandpapers (120 Grit)
- » Dust collection box with pleated filter



Art. No. 4460732

TE-OS 18/113 Li

No load speed	0 - 11,000 RPM
Orbits per minute	0 - 22,000 OPM
Oscillating circuit	5/64"
Sanding area (hook & loop)	4" x 4-1/2"
1/4 sheet size	4-1/2" x 5-1/2"
Product weight	2.4 lbs

*Recommended for maximum results: 2.0 or 2.5 Ah battery	Art. No. 4460732	
*Battery and charger sold separately	TE-OS 18/113 Li	

<sup>1)</sup>	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<sup>2)</sup>	45 min	56 min	89 min	116 min	133 min	178 min

<sup>1)</sup> Battery capacity <sup>2)</sup> Max. operating time in idle mode

Sanders - Bare Tools

## 18V 5" CORDLESS RANDOM ORBIT SANDER

- » Electronic speed control
- » Finest finish & high sanding performance due to eccentric concept
- » Ergonomic softgrip surfaces
- » Hook and loop fastening for holding the abrasive paper securely
- » Both integrated and connection for external dust extraction



**Standard Accessory**

- » Abrasive sanding paper (80 Grit)



Art. No. 4462012

TE-RS 18 Li

No load speed	7,000 - 11,000 RPM
Oscillating speed	14,000 - 22,000 OPM
Oscillating circuit	5/64"
Backing pad diameter	5"
Sanding paper diameter	5"
Product weight	2.6 lbs

*Recommended for maximum results: 2.0 or 2.5 Ah battery	Art. No. 4462012	
*Battery and charger sold separately	TE-RS 18 Li	

<sup>1)</sup>	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<sup>2)</sup>	20 min	25 min	40 min	52 min	60 min	80 min

<sup>1)</sup> Battery capacity <sup>2)</sup> Max. operating time in idle mode

**Optional Accessory**

25 pc. Sandpaper Kit (9 x 60, 8 x 120, 8 x 180 Grit)	Art. No. 4460737	
------------------------------------------------------	------------------	--

*Sanders - Bare Tools*

### 18V CORDLESS FILE BELT SANDER

- » 90° swiveling sanding arm - adjustment to any working position
- » Two exchangeable sanding arms for various tasks
- » Narrow sanding arm for narrow areas and delicate work
- » Wide sanding arm for larger, flat surfaces
- » Variable speed control of the sanding belt
- » Tool-free, simple sanding belt change
- » Tool-free sanding belt adjustment directly on arm
- » Robust sanding arm housing made of solid metal
- » Continuous running lock for time-intensive work
- » Comes with dust chute adapter for wet-dry vacuums



**Standard Accessories**

- » 12 pieces of sanding belts (2 belt widths 3/8" & 1/2" -60/80/120 Grit)
- » Carry bag

*Angle Grinder - Bare Tool*

### 18V 4-1/2" CORDLESS ANGLE GRINDER

- » Softstart function and restart safeguard to make it safer to use
- » Overload cut-out for a long service life
- » Very smooth operation thanks to separation of motor and gearing
- » Disc guard with quick adjust facility
- » Additional handle can be fitted flexibly in 3 positions
- » Grinding wheel not included



*Polishers - Bare Tools*

### 18V 10" CORDLESS CAR POLISHER

- » 2-in-1 product: Polishing and buffing with a single tool
- » Ergonomic handle for an optimum hold and controlled operation
- » Ergonomic softgrip surfaces
- » Hook-and-loop fastener for changing the attachments quickly



**Standard Accessories**

- » 1 textile bonnet
- » 1 synthetic polishing bonnet

**Art. No. 4461010**

**TE-BF 18 Li**

Variable speed range	250 - 1,700 RPM
Sanding arm angle adjustment	90°
Sanding arms / width	2 pcs.   3/8" & 1/2"
Sanding belt length	18"
Product weight	2.6 lbs

*Recommended for maximum results: 2.5 Ah battery	Art. No. 4461010	
*Battery and charger sold separately	TE-BF 18 Li	

	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	15 min	18 min	30 min	39 min	45 min	60 min

<sup>1)</sup> Battery capacity <sup>2)</sup> Max. operating time in idle mode

**Optional Accessories**

35 pc. 3/8" x 18" Sanding Belt Kit	Art. No. 4419818	
35 pc. 1/2" x 18" Sanding Belt Kit	Art. No. 4419819	

**Art. No. 4431122**

**TE-AG 18/115 Li**

Grinder wheel diameter	4-1/2"
No load speed	8,500 RPM
Max. cutting depth	1.1"
Spindle thread	5/8" - 11 UNC
Arbor	7/8"
Product weight	2.6 lbs

*Recommended for maximum results: 2.5 Ah battery	Art. No. 4431122	
*Battery and charger sold separately	TE-AG 18/115 Li	

	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	20 cuts	25 cuts	40 cuts	60 cuts	70 cuts	80 cuts

<sup>1)</sup> Battery capacity <sup>2)</sup> Quantity of cuts through round steel Ø 7/16"

**Art. No. 2093303**

**CE-CB 18/254 Li**

No load speed	2,500 RPM
Diameter	10"
Product weight	4.6 lbs

*Recommended for maximum results: 2.0 or 2.5 Ah battery	Art. No. 2093303	
*Battery and charger sold separately	CE-CB 18/254 Li	

	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	81 min	93 min	127 min	200 min	222 min	254 min

<sup>1)</sup> Battery capacity <sup>2)</sup> Max. operating time in idle mode

**Optional Accessory**

2 pc. Polishing Bonnets Kit (1 textile bonnet, 1 synthetic bonnet)	Art. No. 2093096	
--------------------------------------------------------------------	------------------	--

Polishers - Bare Tools

### 18V 7" CORDLESS POLISHER-ORBITAL SANDER

- » Brushless motor - more power and longer runtimes
- » 2-in-1 product: polishing and grinding/sanding with a single tool
- » Electronic speed control via LCD display
- » Ergonomic handle for an optimum hold and controlled operation
- » Slimline design with ergonomic softgrip surfaces
- » Hook-and-loop fastener for changing the attachments quickly
- » Spindle locking system for easy attachment of the polishing disc
- » Large polishing disc with 7" diameter for speedy progress



**Standard Accessories**

- » 1 foam attachment & 1 synthetic polishing bonnet
- » 3 sanding papers (1 x 60, 80, 120 Grit)

**Art. No. 2093325**

**CE-CP 18/180 Li E- BRUSHLESS**

Diameter of sanding plate	7"
No load speed	500 - 3,000 RPM
Spindle thread	5/8" - 11 UNC
Product weight	3.1 lbs

\*Recommended for maximum results: 2.5 Ah battery  
 \*Battery and charger sold separately

Art. No. 2093325 CE-CP 18/180 Li E	
---------------------------------------	--

	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	20 min	25 min	43 min	54 min	65 min	86 min

1) Battery capacity 2) Max. operating time in idle mode

**Optional Accessory**

9 pc. 7" Polishing/Sanding Kit (Comes with: 1 foam attachment, 2 synthetic polishing bonnets & 6 sanding papers (2 x 60, 80, 120 Grit))	Art. No. 2093239	
-----------------------------------------------------------------------------------------------------------------------------------------	------------------	--

Specialty Tools - Bare Tools

### 18V 3-1/4" CORDLESS PORTABLE PLANER

- » Powerful hand-held planer for jobs with a chip depth of up to 1/16"
- » Large knife shaft for optimum planing results
- » Automatic park rest protecting the planing knife and workpiece
- » Solid aluminum soleplates for flat results
- » Soleplate with 1 V-shaped groove for easy chamfering of edges
- » Ergonomic softgrip surfaces



**Standard Accessories**

- » Parallel guide for straight and precise planing work
- » Rabbet depth stop for easy production of heels
- » 2 x TCT-Planing blades (reversible blades) for high surface quality

**Art. No. 4345401**

**TE-PL 18/82 Li**

No load speed	15,000 RPM
Planing width	3-1/4"
Planing depth	1/64" - 5/64"
Rabbet depth	5/16"
Product weight	5.3 lbs

\*Recommended for maximum results: 2.0 or 2.5 Ah battery  
 \*Battery and charger sold separately

Art. No. 4345401 TE-PL 18/82 Li	
------------------------------------	--

	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	82 ft	92 ft	157 ft	190 ft	255 ft	314 ft

1) Battery capacity 2) Planing in spruce wood (depth: 1/32" - width: 2")

Specialty Tools - Bare Tools

### 18V CORDLESS BISCUIT JOINER

- » Adjustable angle setting up to 90°
- » Adjustable height setting
- » 6-step quick adjustment of cutting depth
- » Suitable for standard biscuit size (#0, 10, 20, Supplex & Dimplex)
- » Solid aluminium design enables precise cutting of slots
- » Spindle lock for easy blade change
- » Face spanner for blade change included
- » Complete with dust bag for dust-free operations



**Standard Accessories**

- » Biscuit joiner blade, spacer plate, dust bag & adjustment keys

**Art. No. 4350631**

**TE-BJ 18 Li**

No load speed	6,500 RPM
Blade	4" x 5/32" - Ø 7/8"
Max. depth	3/4"
Tilt angle adjustment	0 - 90°
Product weight	5.3 lbs

\*Recommended for maximum results: 2.5 Ah battery  
 \*Battery and charger sold separately

Art. No. 4350631 TE-BJ 18 Li	
---------------------------------	--

	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	283 cuts	353 cuts	566 cuts	735 cuts	840 cuts	1132 cuts

1) Battery capacity 2) Max. plunge cuts into softwood at size 10 biscuit



Specialty Tools - Bare Tools

## 18V CORDLESS ROTARY TOOL STATION

- » Electronic speed control for material-specific usage
- » Lock button for easy tool change
- » Flexible shaft with narrow pin for precise work
- » Practical holder for flexible, 36" long shaft
- » Rubber feet to secure station
- » Accessory holder on the station for frequently used accessories
- » Additional removable accessory box integrated in the housing
- » Wall mounting for easy storage of the station

**Standard Accessories**

- » 57-piece accessory kit for a wide range of jobs



**Art. No. 4419370**

**TE-MT 18/34 Li**

No load speed	5,000 - 34,000 RPM
Flexible shaft length	36"
Product weight	3.4 lbs

\*Recommended for maximum results: 2.5 Ah battery  
 \*Battery and charger sold separately

Art. No. 4419370 TE-MT 18/34 Li	
------------------------------------	--

<sup>1)</sup>	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<sup>2)</sup>	40 min	49 min	79 min	102 min	118 min	157 min

<sup>1)</sup> Battery capacity <sup>2)</sup> Max. operating time in idle mode

Specialty Tools - Bare Tools

## 18V CORDLESS HEAT GUN

- » High-power hot air gun with 2 temperature settings
- » LED display for showing the selected temperature setting
- » Overheating protection for safe operation
- » Mechanical nozzle ejector for easy removal of nozzle attachments
- » Swing-out metal hook for flexible work and storage
- » Ergonomic softgrip surfaces

**Standard Accessories**

- » Reducer nozzle, wide jet nozzle, reflector nozzle



**Art. No. 4520502**

**TE-HA 18 Li**

Number of temperature settings	2
Temperature setting 1	350°C
Temperature setting 2	550°C
Air flow at setting 1 & 2	7 CFM (200 L/min)
Product weight	1.3 lbs

\*Recommended for maximum results: 2.0 or 2.5 Ah battery  
 \*Battery and charger sold separately

Art. No. 4520502 TE-HA 18 Li	
---------------------------------	--

<sup>1)</sup>	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<sup>2)</sup>	9 min	11 min	17 min	22 min	25 min	34 min

<sup>1)</sup> Battery capacity <sup>2)</sup> Max. operating time on setting 2

Specialty Tools - Bare Tools

## 18V CORDLESS HVLP HANDHELD PAINT SPRAYER

- » Hand-held system for small/medium-sized working areas
- » Adapted for spraying of lacquers and glazes
- » Removable spray head for cleaning
- » Paint flow regulation for ideal adaptation of paint application
- » Adjustable air cap for vertical, horizontal and round jets
- » Ergonomic softgrip surfaces
- » Practical hanging device for space-saving storage

**Standard Accessories**

- » 2 nozzles (2 & 2.5 mm) for different viscosities of lacquer and glaze
- » Purification brush for cleaning the uptake
- » Purification needle for cleaning the spray nozzle
- » 100 ml viscosity cup for examination of viscosity
- » Lid for paint container
- » 800 ml paint container with measurement scale



**Art. No. 4260027**

**TC-SY 18/60 Li**

Flow rate	650 ml/min
Max. viscosity	60 DIN-sec
Tank volume	800 ml
Product weight	2.6 lbs

\*Recommended for maximum results: 2.5 Ah battery  
 \*Battery and charger sold separately

Art. No. 4260027 TC-SY 18/60 Li	
------------------------------------	--

<sup>1)</sup>	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<sup>2)</sup>	322 ft <sup>2</sup>	409 ft <sup>2</sup>	645 ft <sup>2</sup>	839 ft <sup>2</sup>	968 ft <sup>2</sup>	1291 ft <sup>2</sup>

<sup>1)</sup> Battery capacity <sup>2)</sup> Max. area coverage with paint viscosity of 60 DIN-sec

Specialty Tools - Bare Tools


### 18V 10 OZ. CORDLESS CAULK & ADHESIVE GUN



- » High dispensing force of up to 450 lbf
- » Caulk & adhesive gun for 10.5 oz. (310 ml) tubes
- » With bright LED for an optimum view of the work area
- » Adjustable speed for various materials and quantities
- » Dispensing speed controlled by adjusting wheel and pressure switch
- » No dripping due to reversing mechanism
- » Slimline design with ergonomic softgrip



Art. No. 4522251

TE-SG 18/10 Li

No load speed	15,000 RPM
Dispensing force	450 lbf
Max. feed rate	0.39"/s
Min. feed rate	0.025"/s
Speed settings	6
Product weight	4.2 lbs
*Recommended for maximum results: 2.5 Ah battery *Battery and charger sold separately	
Art. No. 4522251 TE-SG 18/10 Li	

 <sup>1)</sup>	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	170 tubes	213 tubes	340 tubes	442 tubes	510 tubes	682 tubes

<sup>1)</sup> Battery capacity <sup>2)</sup> Max. number of 10.5 oz. caulking tubes

Specialty Tools - Bare Tools


### 18V CORDLESS FULL SIZE GLUE GUN



- » Practical LED heat level indicator
- » Operational for glueing after only 120 seconds of warm-up time
- » Safe and comfortable handling thanks to the softgrip
- » Automatic switch-off after 5 minutes of inactivity prevents glue overheating and other related safety risks
- » Practical LED for optimum illumination of the working area
- » Additional flat glueing nozzle for optimum usage in areas that are narrow or difficult to access



Art. No. 4522201

TE-CG 18 Li

Heat-up time	120 s
Glue stick diameter	7/16" (0.45")
Glue stick length	8"
Product weight	0.5 lbs
*Recommended for maximum results: 2.5 Ah battery *Battery and charger sold separately	
Art. No. 4522201 TE-CG 18 Li	

 <sup>1)</sup>	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	18 sticks	22 sticks	36 sticks	44 sticks	50 sticks	75 sticks

<sup>1)</sup> Battery capacity <sup>2)</sup> Max. 8" x 7/16" glue sticks

Standard Accessories

- » 5 glue sticks, 8" length
- » Flat glueing nozzle

Specialty Tools - Bare Tools


### 18V CORDLESS DRAIN AUGER



- » Easy retraction/extension of drain auger cable
- » Right/left rotation for release when the cable is blocked
- » Galvanized cable prevents rust
- » Convenient cleaning of the drum thanks to the outlet opening
- » Locking mechanism for freeing up stubborn dirt
- » Suitable for pipes 5/8" - 2-1/4" due to its 1/4" cable
- » LED light for illuminating the working area



Art. No. 4514165

TE-DA 18/760 Li

No load speed	0 - 560 RPM
Cable length	22 feet
Cable diameter	1/4"
Min. pipe diameter	5/8"
Max. pipe diameter	2-1/4"
Product weight	8.1 lbs
*Recommended for maximum results: 2.0 or 2.5 Ah battery *Battery and charger sold separately	
Art. No. 4514165 TE-DA 18/760 Li	

 <sup>1)</sup>	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	56 min	68 min	112 min	143 min	188 min	224 min

<sup>1)</sup> Battery capacity <sup>2)</sup> Max. operating time in idle mode

Vacuums / Wet-Dry Vacuums - Bare Tools

### 18V CORDLESS HANDHELD VACUUM

- » Dust container with a volume of 540 ml (18.3 oz.)
- » Can clean filters under running water
- » Space-saving storage thanks to the integrated wall bracket



**Standard Accessories**

- » Floor nozzle for hard floors and smooth surfaces
- » Crevice nozzle for hard-to-reach areas
- » Upholstery nozzle for cleaning upholstery and fabrics
- » Extension tube (18") for cleaning floors
- » Hanging bracket



**Art. No. 2347124**

**TE-VC 18 Li**

Max. suction power	17.5 CFM
Dust container volume	540 ml (18.3 oz.)
Product weight	2 lbs
*Recommended for maximum results: 2.5 Ah battery *Battery and charger sold separately	Art. No. 2347124 TE-VC 18 Li



<sup>1)</sup>	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<sup>2)</sup>	16 min	18 min	31 min	40 min	46 min	62 min

<sup>1)</sup> Battery capacity <sup>2)</sup> Max. operating time in idle mode

Vacuums / Wet-Dry Vacuums - Bare Tools

### 18V CORDLESS DELUXE HANDHELD / STICK VACUUM

- » 2 speeds (ECO/BOOST) for optimal battery use
- » Cordless handheld vacuum with high suction power up to 36 CFM
- » Large dust container with 600 ml (20.3 oz.) capacity
- » Quick, easy emptying of the dust container by pressing a button
- » Can clean filter under running water
- » Space-saving storage thanks to the integrated wall bracket



**Standard Accessories**

- » Floor nozzle for hard floors and smooth surfaces
- » Crevice nozzle for hard-to-reach areas
- » Upholstery nozzle for upholstery and fabrics
- » 2 extension tubes (total 27-9/16") to clean floors
- » Hanging bracket



**Art. No. 2347195**

**TE-HV 18/06 Li**

Max. suction power	36 CFM
Dust container volume	600 ml (20.3 oz.)
Suction tube length	27-9/16"
Suction tube diameter	1-1/4"
Product weight	2.2 lbs
*Recommended for maximum results: 2.5 Ah battery *Battery and charger sold separately	Art. No. 2347195 TE-HV 18/06 Li



<sup>1)</sup>	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<sup>2)</sup>	22 min	26 min	44 min	54 min	65 min	88 min

<sup>1)</sup> Battery capacity <sup>2)</sup> Max. operating time in idle mode

Vacuums / Wet-Dry Vacuums - Bare Tools

### 18V CORDLESS STICK VACUUM CLEANER

- » 4x spotlight LEDs for cleaning even in dark hard-to-reach areas
- » Rubberized wheels protect the floor
- » Lightweight design for tireless working in and around the house
- » 3-fold filter system for high suction power and clean air
- » Bag-free emptying system protects the environment, saves costs and stands for hygiene by avoiding contact with dirt
- » Suction power adjustment to every situation: ECO and BOOST mode
- » Combines all advantages in one device: lightweight like a hand vacuum, and perfect handling for cleaning floors like a stick vacuum
- » Flexible crevice nozzle for vacuuming hard-to-reach areas



**Standard Accessories**

- » Flexible crevice nozzle, brush and wall holder for stick vacuum & accessories

**Art. No. 2347184**

**TE-SV 18 Li**

Max. suction power	21 CFM
Dust container volume	0.16 Gallon (0.6 L)
Product weight	4 lbs
*Recommended for maximum results: 2.5 or 4.0 Ah battery *Battery and charger sold separately	Art. No. 2347184 TE-SV 18 Li



<sup>1)</sup>	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<sup>2)</sup>	25 min	31 min	50 min	65 min	80 min	100 min
<sup>3)</sup>	11 min	13 min	22 min	28 min	35 min	48 min

<sup>1)</sup> Battery capacity <sup>2)</sup> Max. running time in ECO mode <sup>3)</sup> Max. running time in BOOST mode

**Optional Accessory**

Replacement Washable Filter	Art. No. 2351268
-----------------------------	------------------



Vacuums / Wet-Dry Vacuums - Bare Tools

### 18V CORDLESS POWER WET MOP

- » Power wet mop with 11.4" wide roller is ideal for cleaning hard floors, parquet, laminate, PVC, linoleum and tiles
- » Optimal control of the water supply via trigger on the handle
- » Adjustable roller speed via BOOST function for cleaning persistent stains
- » Slim design thanks to foldable battery holder
- » Self-standing function to save storage space
- » Removable dirty water tank and easy-to-fill fresh water tank
- » Continuous operation for comfortable operation
- » Self-cleaning function cleans roller when placed on parking/cleaning station
- » Comes with parking/cleaning station with practical carrying handle and cleaning tool for removing hair or similar from the roller



**Standard Accessories**

- » Parking/cleaning station
- » Cleaning tool

**Art. No. 3437120**

**CLEANEXXO**

Roller width	11.4"
Capacity of fresh water tank	0.11 Gallon (400 ml)
Capacity of dirty water tank	0.08 Gallon (300 ml)
Product weight	5.5 lbs
*Recommended for maximum results: 2.0 or 2.5 Ah battery *Battery and charger sold separately	Art. No. 3437120 CLEANEXXO

<sup>1)</sup>	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<sup>2)</sup>	85 min	107 min	170 min	225 min	260 min	345 min

<sup>1)</sup> Battery capacity <sup>2)</sup> Max. operating time in idle mode

**Optional Accessory**

2 pc. Replacement Cleaning Rollers Kit	Art. No. 3437112
----------------------------------------	------------------

Vacuums / Wet-Dry Vacuums - Bare Tools

### 18V 2.6 GALLON (10 L) CORDLESS WET/DRY VACUUM

- » Easy to empty 2.6 Gallon (10 L) tank to quick-release fasteners
- » Ergonomic design and carry-handle for easy transport
- » Highly versatile – wet and dry vacuuming possible
- » Blow connection for blow-cleaning of hard-to-reach areas
- » Included accessories can be stored directly on the equipment
- » One-hand operation thanks to intelligent ON/OFF switch position



**Standard Accessories**

- » Extendible hose with a total length of 6.6 ft.
- » 2-in-1 crevice/brush nozzle and 2-in-1 upholstery/universal nozzle
- » Foam filter, filter bag and paper dust bag



**Art. No. 2347165**

**TE-VC 18/10 Li**

Max. suction power	42.4 CFM
Volume	2.6 Gallon (10 L)
Suction hose length	2.3 to 6.6 ft.
Suction hose diameter	1-3/8"
Sound pressure level	72 dB
Sealed suction (water lift)	33"
Product weight	6.6 lbs
*Recommended for maximum results: 4.0 Ah battery *Battery and charger sold separately	Art. No. 2347165 TE-VC 18/10 Li

<sup>1)</sup>	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<sup>2)</sup>	10 min	12 min	21 min	26 min	30 min	42 min

<sup>1)</sup> Battery capacity <sup>2)</sup> Max. operating time in idle mode

**Optional Accessories**

5 pc. 10 L Foam Filters Kit	Art. No. 2351136
5 pc. 10 L Dust Bags Kit	Art. No. 2351261

Vacuums / Wet-Dry Vacuums - Bare Tools

### 18V 5.3 GALLON (20 L) CORDLESS WET/DRY VACUUM

- » 5.3 Gallon (20 L) stainless steel tank
- » Blow connection for blow-cleaning hard-to-reach areas
- » 4 castors for good mobility
- » Practical accessories holder for clean stowage and operations
- » Hose system with 1-3/8" diameter maintains high air and dirt flow



**Standard Accessories**

- » Plastic suction hose and three-part extension tube
- » Big combination nozzle, crevice nozzle & upholstery nozzle
- » Foam filter, pleated filter and paper dust bag

**Optional Accessories**

	5 pc. 20 L / 30 L Foam Filters Kit	Art. No. 2351137			5 pc. 20 L High Efficiency Dust Bags Kit	Art. No. 2351192	
	5 pc. 20 L Dust Bags Kit	Art. No. 2351168			1 pc. Pleated Filter w/Lid	Art. No. 2351118	
	1 pc. 20 L / 30 L Fabric Filter	Art. No. 2351142			3 pc. Nozzle Kit	Art. No. 2351236	

**Art. No. 2347137**

**TC-VC 18/20 Li S**

Max. suction power	53 CFM
Volume	5.3 Gallon (20 L)
Suction hose length	4.9 ft.
Suction hose diameter	1-3/8"
Sound pressure level	72 dB
Sealed suction (water lift)	33"
Product weight	7.9 lbs

*Recommended for maximum results: 4.0 Ah battery	Art. No. 2347137	
*Battery and charger sold separately	TC-VC 18/20 Li S	7 72995 01778 2

	<sup>1)</sup>	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	<sup>2)</sup>	10 min	11 min	20 min	25 min	32 min	40 min

<sup>1)</sup> Battery capacity <sup>2)</sup> Max. operating time in idle mode

Vacuums / Wet-Dry Vacuums - Bare Tools

### 36V 8 GALLON (30 L) CORDLESS WET/DRY VACUUM

- » TWIN-PACK technology: 2 x 18V Power X-Change batteries required
- » 2 speeds (ECO/BOOST) for optimal battery use
- » High suction power with simultaneous wireless freedom
- » 8 Gallon (30 L) stainless steel tank
- » Blow connection for blow-cleaning hard-to-reach areas
- » 2 large wheels and 2 castors for better mobility
- » Practical accessories holder for clean stowage and operations
- » Water drain screw for draining water
- » Telescopic stainless steel suction tube 1-3/8"
- » Air regulator on the handle



**Standard Accessories**

- » Heavy-duty 1-3/8" suction hose (8.2 ft.)
- » Big comfort nozzle for carpets/smooth floors
- » Foam filter, pleated filter and dust bag

**Optional Accessories**

	5 pc. 20 L / 30 L Foam Filters Kit	Art. No. 2351137			5 pc. 30 L High Efficiency Dust Bags Kit	Art. No. 2351196	
	5 pc. 30 L Dust Bags Kit	Art. No. 2351176			1 pc. Pleated Filter w/Lid	Art. No. 2351118	
	1 pc. 20 L / 30 L Fabric Filter	Art. No. 2351142			3 pc. Nozzle Kit	Art. No. 2351236	

**Art. No. 2347141**

**TE-VC 36/30 Li S**

Max. suction power	56 CFM
Volume	8 Gallon (30 L)
Suction hose length	8.2 ft.
Suction hose diameter	1-3/8"
Sound pressure level	76 dB
Sealed suction (water lift- ECO/BOOST)	59"   40"
Product weight	17.6 lbs

*Recommended for maximum results: 2 x 4.0 Ah batteries	Art. No. 2347141	
*Batteries and charger sold separately	TE-VC 36/30 Li S	7 72995 01779 9

	<sup>1)</sup>	⊙ 2.0 Ah	⊙ 2.5 Ah	⊙ 4.0 Ah	⊙ 5.2 Ah	⊙ 6.0 Ah	⊙ 8.0 Ah
	<sup>2)</sup>	8 min	10 min	16 min	21 min	24 min	32 min
	<sup>3)</sup>	11 min	13 min	22 min	28 min	33 min	44 min

<sup>1)</sup> Battery capacity <sup>2)</sup> Max. running time in ECO mode <sup>3)</sup> Max. running time in BOOST mode

**Vacuums / Wet-Dry Vacuums - Bare Tools**
**18V 4 GALLON (15 L) CORDLESS ASH VACUUM**

- » With filter cleaning system for restoring the suction power
- » The 4 Gallon (15 L) tank enables a long use
- » Four castors for mobility
- » Practical carrying handle for easy transport
- » Convenient storage thanks to the hose rewind on the head
- » Metal-reinforced suction hose and aluminum crevice nozzle
- » Convert to blowing function by inserting hose in the air outlet
- » Easy emptying of the container thanks to quick-release fasteners


**Standard Accessory**

- » Pleated filter

**Air Movement - Bare Tools**
**18V CORDLESS COMPACT BLOWER**

- » Low and high power settings
- » Versatile for work site, workshop or garden
- » Air flow up to 180 km/h
- » Air flow setting 1: 130 km/h
- » Air flow setting 2: 180 km/h
- » Ergonomic softgrip surfaces


**Standard Accessories**

- » 3 inflation nozzles

**Air Movement - Bare Tools**
**36V 1.6 GALLON (6 L) CORDLESS COMPACT AIR COMPRESSOR**

- » TWIN-PACK technology: 2 x 18V Power X-Change batteries required
- » Oil-free, service-free motor for low maintenance requirements
- » Mobile, high-performance cordless compressor with a 1.6 Gallon (6 L) tank
- » Ergonomic design and handle for easy transport
- » Applications up to 135 PSI can be set using the pressure reducer
- » Pressure gauge & quick-release coupling for regulated pressure
- » Vibration-damped feet for standing securely
- » Safety valve protects user
- » Drain cock enables user-friendly maintenance


**Standard Accessories**

- » 8 ft. high-quality air hose
- » Blow-out gun, tire pressure gauge and 8-piece adapter set

**Art. No. 2361701**
**TE-AV 18/15 Li C**

Tank capacity	4 Gallon (15 L)
Suction hose length	4.7 ft.
Suction hose diameter	1.375"
Product weight	6.6 lbs
*Recommended for maximum results: 2.5 or 4.0 Ah battery	Art. No. 2361701
*Battery and charger sold separately	TE-AV 18/15 Li C

<sup>1)</sup>	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<sup>2)</sup>	15 min	18 min	30 min	37 min	44 min	60 min

<sup>1)</sup> Battery capacity <sup>2)</sup> Max. operating time in idle mode

**Art. No. 3408005**
**TE-CB 18/180 Li**

No load speed (low)	1 - 11,500 RPM
No load speed (high)	2 - 15,500 RPM
Max. air speed	180 km/h
Product weight	4.8 lbs
*Recommended for maximum results: 2.0 or 2.5 Ah battery	Art. No. 3408005
*Battery and charger sold separately	TE-CB 18/180 Li

<sup>1)</sup>	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<sup>2)</sup>	39 min	48 min	68 min	100 min	124 min	136 min

<sup>1)</sup> Battery capacity <sup>2)</sup> Max. operating time in idle mode

**Art. No. 4020455**
**TE-AC 36/6/8 Li OF SET**

Motor speed	16,000 RPM
No load speed	3,200 RPM
Air flow	4.58 CFM
Output power	1.94 CFM @ 60 PSI
Output power	1.34 CFM @ 100 PSI
Max. operating pressure	135 PSI
Tank capacity	1.6 Gallon (6 L)
No. of cylinders	1
Product weight	21.4 lbs
*Recommended for maximum results: 2 x 4.0 Ah batteries	Art. No. 4020455
*Batteries and charger sold separately	TE-AC 36/6/8 Li OF SET

<sup>1)</sup>	⊙ 2.0 Ah	⊙ 2.5 Ah	⊙ 4.0 Ah	⊙ 5.2 Ah	⊙ 6.0 Ah	⊙ 8.0 Ah
<sup>2)</sup>	25 cycles	29 cycles	50 cycles	60 cycles	80 cycles	100 cycles
<sup>3)</sup>	400 cycles	435 cycles	800 cycles	900 cycles	1320 cycles	1600 cycles

<sup>1)</sup> Battery capacity <sup>2)</sup> Tank inflation cycles per charge <sup>3)</sup> 1/2" Narrow crown staples per charge

*Air Movement - Bare Tools*

**18V CORDLESS HIGH VOLUME POWER INFLATOR**

- » Ideal for inflating rafts, air mattresses and other leisure items
- » 2 valve adapters for flexible application
- » Enables fast filling with 23.66 CFM and a max. pressure of 0.76 PSI
- » Deflate by simply changing the attachment to the deflation port
- » Can also be used as a workshop blower for a quick cleaning
- » Locking switch for fatigue-free work
- » Comes with LED light for illumination in low-light conditions
- » Ergonomic handle for increased operator comfort



Art. No. 2070120

CE-AP 18 Li

Max. operating pressure	0.76 CFM
Max. delivery rate	23.66 CFM
Product weight	1.3 lbs
*Recommended for maximum results: 2.5 Ah battery *Battery and charger sold separately	Art. No. 2070120 CE-AP 18 Li



<sup>1)</sup>	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<sup>2)</sup>	65 min	81 min	130 min	169 min	195 min	260 min

<sup>1)</sup> Battery capacity <sup>2)</sup> Max. operating time in idle mode

*Air Movement - Bare Tools*

**18V CORDLESS HIGH PRESSURE INFLATOR W/ DIGITAL GAUGE**

- » Ideal for inflating car tires, bicycle tires and sport balls
- » Digital pressure indicator for quick and easy reading
- » Selection either bar, PSI or kPa modes
- » Easy adjustment of the pressure up to max. 160 PSI
- » Automatic shut-off function when desired pressure is reached
- » Manual inflating without pre-settings also possible
- » Integrated storage of the 3-piece inflatable adapter set
- » 23" pressure hose
- » Ergonomic handle for increased operator comfort



Art. No. 2071020

CE-CC 18 Li

Max. operating pressure	160 PSI
Pressure hose length	23"
Product weight	1.7 lbs
*Recommended for maximum results: 2.5 Ah battery *Battery and charger sold separately	Art. No. 2071020 CE-CC 18 Li



<sup>1)</sup>	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<sup>2)</sup>	42 min	53 min	84 min	109 min	126 min	168 min

<sup>1)</sup> Battery capacity <sup>2)</sup> Max. operating time in idle mode

**Standard Accessories**

- » 3-piece inflation adapter set

*Air Movement - Bare Tools*

**18V DUAL FUNCTION CORDED/CORDLESS INFLATOR/DEFLATOR**

- » Hybrid function: for use with a power cable/ rechargeable battery
- » High-pressure pump for inflating car tires, cycle tires, balls
- » Low-pressure pump for inflating air mattresses
- » Low-pressure suction function for deflating air mattresses
- » Easy-to-operate manual digital pressure indicator
- » High-pressure pump with adjustable pressure settings up to 160 PSI
- » With auto shutoff function when adjusted pressure is reached
- » Integrated storage holder for the 3-piece inflation adapter set



Art. No. 4020463

PRESSITO

Power supply	18V & 120V   60 Hz
Suction capacity high pressure pump	0.73 CFM
Output power at 60 PSI (18V)	0.32 CFM
Output power at 100 PSI (18V)	0.21 CFM
Output power at 60 PSI (120V)	0.34 CFM
Output power at 100 PSI (120V)	0.28 CFM
Max. volumetric flow	13.3 CFM
Max. operating pressure	160 PSI
Hose lengths (low/high)	12.2"   28"
Product weight	4.6 lbs
*Recommended for maximum results: 4.0 Ah battery *Battery and charger sold separately	Art. No. 4020463 PRESSITO



<sup>1)</sup>	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<sup>2)</sup>	30 min	37 min	60 min	85 min	90 min	120 min

<sup>1)</sup> Battery capacity <sup>2)</sup> Max. operating time in idle mode

**Standard Accessories**

- » 3-piece inflation adapter set



*Air Movement - Bare Tools*

## 18V CORDLESS INFLATOR/DEFLATOR

- » High-pressure pump for inflating car tires, cycle tires and balls
- » Low-pressure pump for inflating air mattresses
- » Low-pressure suction function for deflating air mattresses
- » Two-line pressure display for viewing the set and actual pressure
- » High-pressure pump adjustable up to 160 PSI
- » Auto shutdown function when the set pressure is reached
- » Selectable pressure units: Bar, PSI and kPa
- » Manual push-button for inflation without pressure presetting
- » Integrated storage compartment for the 4 inflation adapters
- » Practical carrying handle for easy transport


**Standard Accessories**



- » 4-piece inflation adapter set



**Art. No. 4020421**

**PRESSITO 18/25**

Suction capacity high pressure pump	0.88 CFM
Output power at 0 PSI	0.56 CFM
Output power at 58 PSI	0.39 CFM
Output power at 102 PSI	0.32 CFM
Max. volumetric flow- suction	12.7 CFM
Max. volumetric flow- inflator	15.9 CFM
Max. operating pressure	160 PSI
Hose lengths (low/high)	28"-63" / 28"
Product weight	5.1 lbs
*Recommended for maximum results: 4.0 Ah battery *Battery and charger sold separately	
Art. No. 4020421 PRESSITO 18/25	

 <sup>1)</sup>	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	22 min	28 min	44 min	58 min	68 min	88 min

<sup>1)</sup> Battery capacity <sup>2)</sup> Max. operating time in idle mode

*Air Movement - Bare Tools*


## 18V 7" CORDLESS FAN



- » Compact and portable cordless fan for indoor or outdoor use
- » Variable adjustment of the fan head
- » Numerous fastening options
- » 3 speed settings for adjusting the air flow



**Art. No. 3408036**

**GE-CF 18/2200 Li**

Fan diameter	7"
No load speed	1,200 / 1,700 / 2,200 RPM
Max. air speed	15 km/h
Swivel range	0 - 360°
Product weight	2.5 lbs
*Recommended for maximum results: 2.5 Ah battery *Battery and charger sold separately	
Art. No. 3408036 GE-CF 18/2200 Li	

 <sup>1)</sup>	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	7 hours	8.8 hours	14 hours	18 hours	21 hours	28 hours

<sup>1)</sup> Battery capacity <sup>2)</sup> Max. operating time in idle mode

*LED Lights - Bare Tools*


## 18V CORDLESS LED WORK LIGHT



- » High-quality LED of the company CREE Ltd.
- » Practical metal hook
- » Ergonomic handle with softgrip
- » High flexibility thanks to a swiveling head



**Art. No. 4514135**

**TC-CL 18 Li H**

Number of LED	1
Max. lumens	280 lm
Light color	7,000 K
Product weight	0.5 lbs
*Recommended for maximum results: 2.5 Ah battery *Battery and charger sold separately	
Art. No. 4514135 TC-CL 18 Li H	

 <sup>1)</sup>	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	10 hours	12 hours	22 hours	32 hours	33 hours	44 hours

<sup>1)</sup> Battery capacity <sup>2)</sup> Max. operating time in idle mode



LED Lights - Bare Tools


**18V 1000 LUMEN CORDLESS LED WORK LIGHT**



- » 15 powerful LEDs with a total of 1000 lumens
- » Three brightness levels, ideal illumination for short distances
- » High flexibility due to foldable light head
- » LED light consists of two light strips
- » Hooks and eyelets for flexible attachment and storage
- » Slim, lightweight design with ergonomic handle with softgrip



**Art. No. 4514181**

**TE-CL 18/1000 S Li**

Number of LED	15
Max. lumens	1000 lm
LED light settings	3
Light color	5,700 K
Product weight	1.5 lbs
*Recommended for maximum results: 2.0 or 2.5 Ah battery *Battery and charger sold separately	
Art. No. 4514181 TE-CL 18/1000 S Li	

 <sup>1)</sup>	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	145 min	181 min	289 min	376 min	434 min	578 min

<sup>1)</sup> Battery capacity <sup>2)</sup> Max. operating time in max. brightness setting

LED Lights - Bare Tools


**18V 2500 LUMEN CORDLESS LED SPOTLIGHT**




- » 7 bright LEDs with a total of 2,500 lumens
- » Two brightness levels for ideal illumination
- » 6,500K color temperature for a well-lit work area
- » Slim-line and lightweight design for versatile use
- » Ergonomic handle with softgrip
- » Can be operated from a 12V cigarette lighter socket
- » Can be fastened to a tripod thanks to the 1/4" tripod thread




**Art. No. 4514146**

**TE-CL 18/2500 LiAC**

Number of LED	7
Max. lumens	2,500 lm
Light color	6,500 K
Spotlight range	2,100 ft.
Product weight	1.3 lbs
*Recommended for maximum results: 2.5 Ah battery *Battery and charger sold separately	
Art. No. 4514146 TE-CL 18/2500 LiAC	

 <sup>1)</sup>	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	291 min	355 min	611 min	794 min	916 min	1222 min
 <sup>3)</sup>	85 min	111 min	183 min	238 min	274 min	366 min

<sup>1)</sup> Battery capacity <sup>2)</sup> Max. luminous period at 40% <sup>3)</sup> Max. luminous period at 100%



Standard Accessory

- » 12V cigarette lighter socket adapter

LED Lights - Bare Tools


**18V 2000 LUMEN HYBRID LED WORK LIGHT**



- » Optimum illumination thanks to high-performance LED
- » High flexibility thanks to a swiveling lamp head
- » Universal use thanks to numerous fastening options
- » Hybrid function ensures permanent operational readiness




**Art. No. 4514137**

**TE-CL 18/2000 LiAC**

Power supply	18V & 120V   60 Hz
Number of LED	20
Max. lumens	2,000 lm
Light color	5,300 K
Number of brightness levels	3
Product weight	2.9 lbs
*Recommended for maximum results: 2.5 Ah battery *Battery and charger sold separately	
Art. No. 4514137 TE-CL 18/2000 LiAC	

 <sup>1)</sup>	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	115 min	145 min	230 min	300 min	345 min	460 min

<sup>1)</sup> Battery capacity <sup>2)</sup> Max. operating time in idle mode



Standard Accessory

- » 120V power adapter

## Practical Accessory - Bare Tool

## 18V CORDLESS BLUETOOTH SPEAKER

- » Easy connection with the device thanks to Bluetooth
- » AUX connection for connecting an MP3 player, mobile phone, etc.
- » USB connection for charging a mobile phone, tablet or MP3 player
- » Intuitive control panel makes it easy to use


**Art. No. 4514151**
**TC-SR 18 Li BT**

Output voltage USB	5V
Output current USB	2A
Output power speakers	2 x 3W
Max. volume	85 dB
Output frequency	0,12 kHz - 20 KHz
Bluetooth version	5.0
Product weight	0.6 lbs
*Recommended for maximum results: 2.0 or 2.5 Ah battery *Battery and charger sold separately	
Art. No. 4514151 TC-SR 18 Li BT	7 72995 01775 1

## E-Cases &amp; Accessories

## E-CASE S-F SMALL TOOL CASE

- » Locking system for connecting stacked cases, ensures easy storage and transport
- » Scratch-free transport thanks to foam inlay included
- » Splash-proof design for safe storage and transport
- » High-quality polypropylene ensures heat resistance, stiffness and impact resistance
- » 2 x foldable, ergonomic handles for comfortable transportation
- » Equipped with padlock hole to secure case


**Art. No. 4540022**
**E-Case S-F**

Inside dimensions	16.3" x 10.7" x 3.7"
Outside dimensions	17.5" x 13" x 5.125"
Max. payload	55 lbs
Product weight	3.7 lbs
Art. No. 4540022 E-Case S-F	7 72995 01786 7

**Standard Accessories**

- » Foam inlay for bottom

## E-CASE L LARGE ROLLING TOOL CASE

- » Locking system for connecting stacked cases ensures easy storage and transport
- » High-quality polypropylene ensures heat resistance, stiffness and impact resistance
- » Robust and durable construction allows a payload of up to 264 lbs
- » Easy transport thanks to telescopic, extra-wide handle
- » 6" large wheels enable comfortable rolling on any surface
- » Padlock hole applicable as anti-theft device


**Art. No. 4540023**
**E-Case L**

Inside dimensions	16.375" x 10.75" x 12.625"
Max. payload	264 lbs
Product weight	13.7 lbs
Art. No. 4540023 E-Case L	7 72995 01787 4


**Standard Accessories**

- » 1 x E-Case L, 1 x hand tool tray and 1 x label & 2 x spacer clips

## E-CASE TOWER ROLLING TOOL CASE

- » Locking system for connecting stacked cases ensures easy storage and transport
- » High-quality polypropylene ensures heat resistance, stiffness and impact resistance
- » Robust and durable construction allows a payload of up to 264 lbs
- » Easy transport thanks to telescopic, extra-wide handle
- » 6" large wheels enable comfortable rolling on any surface
- » Foldable, ergonomic handle for comfortable carrying up to 198 lbs
- » Padlock lock applicable as anti-theft device


**Art. No. 4540024**
**E-Case Tower**

Inside dimensions of E-Case S-F	16.3" x 10.7" x 3.7"
Inside dimensions of E-Case L	16.375" x 10.75" x 12.625"
Max. payload	264 lbs
Product weight	22.3 lbs
Art. No. 4540024 E-Case Tower	7 72995 01788 1


**Standard Accessories**

- » 1 x E-Case S-F comes with foam inlay (bottom)
- » 1 x E-Case S-C comes with compartments (2 x large, 3 x middle, 4 x small)
- » 1 x E-Case L comes with tool tray
- » 3 x Labels & 2 x spacer clips


**Optional Accessories**

E-Case Compartments Kit

Art. No. 4540025



E-Case Perforated Foam Kit

Art. No. 4540026





# PROFESSIONAL CORDLESS POWER TOOLS

Handheld Power Tools / Stationary Power Tools



## OUR PROMISE TO DIY-PROS & PROFESSIONALS

True Pros always give MORE...  
Because every move has to be perfect.  
Where precision is a must.  
And every second counts.  
They expect tools to give them MORE.  
Now Einhell gives them MORE.

- MORE PERFORMANCE.\***
- MORE ENDURANCE.\***
- MORE WARRANTY.\*\***
- MORE LIFETIME.\***
- MORE FUNCTIONALITY.\***

# MORE POWER FOR PROS.

\*in comparison to carbon brush motors.  
\*\*on Brushless motors upon online registration.

Professional Drilling & Driving - Kits & Bare Tools

## 18V 1/2" PROFESSIONAL CORDLESS DRILL/DRIVER



- » Brushless motor - more power, longer runtimes
- » High-grade 1/2" metal drill chuck
- » Practical belt clip for efficient and safe operation
- » 2-speed gearing for powerful driving and drilling
- » Ergonomic design with softgrip surfaces
- » Less strain thanks to additional handle
- » LED lamp to illuminate the work area



Art. No. 4513893

TP-CD 18 Li BL-BRUSHLESS

Number of gears	2
Idle speed (gear 1)	0 - 500 RPM
Idle speed (gear 2)	0 - 1,800 RPM
Max. torque	531 in/lbs (60 Nm)
Number of torque steps	20 settings
Drill chuck	1/2"   single sleeve
Product weight	2.9 lbs
*Recommended for maximum results: 2.0 or 2.5 Ah battery *Battery and charger sold separately	
Art. No. 4513893 TP-CD 18 Li BL	

 <sup>1)</sup>	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	350 screws	440 screws	700 screws	920 screws	1060 screws	1410 screws

<sup>1)</sup> Battery capacity <sup>2)</sup> Quantity of 2-3/8" wood screws

Professional Drilling & Driving - Kits & Bare Tools

## 18V 1/2" PROFESSIONAL CORDLESS HAMMER DRILL/DRIVER KIT (w/ 2x 2.0 Ah Batteries, Charger & Carry Case)



- » Brushless motor - more power, longer runtimes
- » Impact drilling function for universal operation
- » High-grade 1/2" metal drill chuck
- » 2-speed gearbox for powerful drilling
- » Electronic speed control to suit application
- » LED light for optimum operation in dark areas
- » Extremely easy to work with due to ergonomic design and softgrip



Art. No. 4514360

TP-CD 18/50 Li-i BL KIT- BRUSHLESS

Battery	18V   2.0 Ah   Li-Ion
Number of gears	2
Idle speed (gear 1)	0 - 500 RPM
Idle speed (gear 2)	0 - 1,800 RPM
Hammer speed (gear 1)	0 - 8,000 BPM
Hammer speed (gear 2)	0 - 28,800 BPM
Max. torque	443 in/lbs (50 Nm)
Number of torque steps	21+1+1 settings
Drill chuck	1/2"   single sleeve
Product weight	2.6 lbs
*2 x 2.0 Ah batteries, charger, carry case included	
Art. No. 4514360 TP-CD 18/50 Li-i BL KIT	

 <sup>1)</sup>	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	320 screws	400 screws	640 screws	830 screws	960 screws	1280 screws

<sup>1)</sup> Battery capacity <sup>2)</sup> Quantity of 2-3/8" wood screws

Standard Accessories

- » 2 x 2.0 Ah Power X-Change batteries & charger
- » Carry case

Professional Drilling & Driving - Kits & Bare Tools


## 18V 1/2" PROFESSIONAL CORDLESS HAMMER DRILL/DRIVER



- » Brushless motor - more power and longer runtimes
- » Hammer drilling function for stone and masonry
- » High-quality 1/2" keyless metal drill chuck
- » Electronic speed control to suit material/application
- » 2-speed gearbox for powerful drilling and screwing
- » Ergonomic design with softgrip for comfortable work
- » Practical belt clip for efficient and safe operation
- » Integrated LED light to illuminate the working area
- » Comes with additional handle



Art. No. 4514380

TP-CD 18/120 Li-i BL- BRUSHLESS

Number of gears	2
Idle speed (gear 1)	0 - 500 RPM
Idle speed (gear 2)	0 - 2,100 RPM
Hammer speed (gear 1)	0 - 6,550 BPM
Hammer speed (gear 2)	0 - 27,300 BPM
Max. torque	1062 in/lbs (120 Nm)
Number of torque steps	21+1+1 settings
Drill chuck	1/2"   single sleeve
Product weight	4 lbs
*Recommended for maximum results: 2.0 or 2.5 Ah battery *Battery and charger sold separately	
Art. No. 4514380 TP-CD 18/120 Li-i BL	

 <sup>1)</sup>	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	190 screws	240 screws	445 screws	580 screws	670 screws	895 screws

<sup>1)</sup> Battery capacity <sup>2)</sup> Quantity of 2-3/8" wood screws

Professional Impact Drivers / Wrenches - Bare Tools


## 18V 1/4" PROFESSIONAL CORDLESS IMPACT DRIVER


- » Brushless motor - more power, longer runtimes
- » Effortless tightening of large/long screws
- » 1/4" hex. bit (Recommendation: impact-resistant bits)
- » Speed control for fine adjustment
- » Short, lightweight design with ergonomic softgrip
- » Special impact mechanism protects the wrist from torsional forces
- » 3 powerful LED to illuminate the work area



Art. No. 4510045

TP-CI 18 Li BL- BRUSHLESS

No load speed	0 - 2,900 RPM
Impacts per minute	0 - 3,000 IPM
Type of bit interlock	Mechanic locking sleeve
Tool collet (hex.)	1/4"
Max. torque	1,594 in/lbs (180 Nm)
Product weight	2.6 lbs
*Recommended for maximum results: 2.0 or 2.5 Ah battery *Battery and charger sold separately	
Art. No. 4510045	
TP-CI 18 Li BL	7 72995 01756 4

 <sup>1)</sup>	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	280 screws	350 screws	560 screws	730 screws	840 screws	1120 screws

<sup>1)</sup> Battery capacity <sup>2)</sup> Quantity of 2-3/8" wood screws

Professional Impact Drivers / Wrenches - Bare Tools


## 18V 1/2" PROFESSIONAL CORDLESS IMPACT WRENCH & DRIVER

- » Brushless motor - more power and longer runtimes
- » Powerful high-torque cordless impact wrench
- » Practical belt clip for efficient and safe operation
- » Small and light - for comfortable operation
- » Robust 1/2" external square drive mount
- » Ergonomic softgrip surfaces
- » Complete with 1/4" bit adapter for screw driving and 3 LED to illuminate the work area



Art. No. 4510062

TP-CW 18 Li BL- BRUSHLESS

No load speed	0 - 2,900 RPM
Impacts per minute	0 - 3,000 IPM
Tool collet (square)	1/2"
Tool collet (hex.)	1/4"
Max. torque	1,770 in/lbs (200 Nm)
Product weight	2.4 lbs
*Recommended for maximum results: 2.0 or 2.5 Ah battery *Battery and charger sold separately	
Art. No. 4510062	
TP-CW 18 Li BL	7 72995 01756 0

 <sup>1)</sup>	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	100 nuts	125 nuts	200 nuts	260 nuts	300 nuts	400 nuts

<sup>1)</sup> Battery capacity <sup>2)</sup> Wheel nuts

Standard Accessory

- » 1/4" bit adapter

Professional Impact Drivers / Wrenches - Bare Tools


## 18V 1/2" PROFESSIONAL CORDLESS IMPACT WRENCH

- » Brushless motor - more power and longer runtimes
- » High-torque impact wrench for releasing wheel nuts
- » Robust 1/2" external square drive mount
- » Special impact mechanism protects the wrists from twisting forces
- » Robust gear housing for a longer lifetime
- » Electronic speed control to suit material/application
- » Complete with LED light to illuminate the work area
- » Belt clip for safe keeping during working breaks
- » Ergonomic design and softgrip for more grip
- » Complete with a 1/4" bit adapter for fixing bits for screws



Art. No. 4510081

IMPAXXO 18/230- BRUSHLESS

No load speed	0 - 2,900 RPM
Impacts per minute	0 - 3,000 IPM
Tool collet (square)	1/2"
Tool collet (hex.)	1/4"
Max. torque	2,036 in/lbs (230 Nm)
Product weight	2.4 lbs
*Recommended for maximum results: 2.5 Ah battery *Battery and charger sold separately	
Art. No. 4510081	
IMPAXXO 18/230	7 72995 01906 9

 <sup>1)</sup>	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	100 nuts	125 nuts	200 nuts	260 nuts	300 nuts	400 nuts

<sup>1)</sup> Battery capacity <sup>2)</sup> Wheel nuts

Standard Accessory

- » 1/4" bit adapter

## Professional Impact Drivers / Wrenches - Bare Tools

## 18V 1/2" PROFESSIONAL CORDLESS IMPACT WRENCH

- » Brushless motor - more power and longer runtimes
- » Very high torque for easy loosening of wheel nuts
- » Robust 1/2" external square drive mount
- » LED light to illuminate the work area
- » 3 speed settings for a perfect speed adjustment
- » Complete with 1/4" bit adapter for screw driving
- » Complete with a 3 pc. socket set for car wheel changing (sizes: 17, 19, 21 mm)


**Standard Accessories**

- » 1/4" bit adapter
- » 3 impact sockets (17, 19, 21 mm)

**Art. No. 4510071**
**IMPAXXO 18/400- BRUSHLESS**

Number of gears	2
No load speed	0 - 2,100 RPM
Impacts per minute	0 - 3,300 IPM
Tool collet (square)	1/2"
Max. torque	3,540 in/lbs (400 Nm)
Product weight	4.4 lbs
*Recommended for maximum results: 2.5 Ah battery *Battery and charger sold separately	Art. No. 4510071 IMPAXXO 18/400

<sup>1)</sup>	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<sup>2)</sup>	55 nuts	70 nuts	110 nuts	140 nuts	170 nuts	220 nuts

1) Battery capacity 2) Wheel nuts

## Professional Rotary Hammer Drills - Bare Tools

## 18V 3/4" PROFESSIONAL SDS-PLUS CORDLESS ROTARY HAMMER

- » Brushless motor - more power and longer runtimes
- » 4+1 functions: Drilling/impact drilling/chiseling with & w/o lock
- » Pneumatic impact mechanism for effortless drilling in concrete
- » Universal SDS-plus chuck with semi-automatic function
- » Speed electronics for fine adjustment on delicate jobs
- » Low-vibration operations by vibration-cushioned main handle
- » Ergonomic softgrip surfaces with additional handle
- » Adjustable drilling depth stop made of solid metal
- » Comes with LED lamp to illuminate the work area
- » Supplied with E-Box case


**Standard Accessory**

- » Magnetic bit adapter

**Art. No. 4513906**
**HEROCCO 18/20 - BRUSHLESS**

No load speed	0 - 1,200 RPM
Hammer speed	0 - 5,500 BPM
Impact power	1.6 ft/lbs
Drilling capacity in concrete	3/4"
Product weight	4.6 lbs
*Recommended for maximum results: 4.0 Ah battery *Battery and charger sold separately	Art. No. 4513906 HEROCCO 18/20

<sup>1)</sup>	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<sup>2)</sup>	335 holes	417 holes	670 holes	870 holes	1000 holes	1330 holes

1) Battery capacity 2) 1/4" x 1-15/16" long holes in red brick

## Professional Rotary Hammer Drills - Bare Tools

## 36V 1" PROFESSIONAL SDS-PLUS CORDLESS ROTARY HAMMER

- » Brushless motor - more power and longer runtimes
- » TWIN-PACK technology: 2 x 18V Power X-Change batteries required
- » High drilling performance with cordless freedom
- » 4 functions: Drilling/impact drilling/chiseling with and w/o lock
- » Overload safety stop for extra user safety
- » Universal SDS-Plus chuck with semi-automatic function
- » Electronic speed controller for fine adjustment on delicate jobs
- » Low-vibration operations by vibration-cushioned main handle
- » Ergonomic handle and additional handle with softgrip
- » Adjustable drilling depth stop made of solid metal
- » Comes with LED light to illuminate the work area
- » Supplied with E-Box case


**Art. No. 4513977**
**HEROCCO 36/28- BRUSHLESS**

Battery	36V (2 x 18V)
No load speed	0 - 1,100 RPM
Hammer speed	0 - 5,300 BPM
Impact power	2.3 ft/lbs
Drilling capacity in concrete	1.1"
Product weight	7.4 lbs
*Recommended for maximum results: 2 x 4.0 Ah batteries *Batteries and charger sold separately	Art. No. 4513977 HEROCCO 36/28

<sup>1)</sup>	⊙ 2.0 Ah	⊙ 2.5 Ah	⊙ 4.0 Ah	⊙ 5.2 Ah	⊙ 6.0 Ah	⊙ 8.0 Ah
<sup>2)</sup>	79 holes	105 holes	169 holes	222 holes	276 holes	368 holes

1) Battery capacity 2) 5/16" x 2" deep holes in concrete

Professional Saws - Bare Tools

## 18V 3" PROFESSIONAL CORDLESS CUT-OFF TOOL

- » Brushless motor - more power and longer runtimes
- » Electronic variable speed control
- » LED lamp to illuminate confined areas
- » Compact lightweight design
- » Tool-free cutting depth adjustment
- » Motor brake quickly stops the cutting disc



**Standard Accessories**

- » 3 x metal cutting discs
- » 1 x Turbo diamond disc



Professional Saws - Bare Tools

## 18V 7-1/4" PROFESSIONAL CORDLESS CIRCULAR SAW

- » Brushless motor - more power and longer runtimes
- » Easy adjustment without tools (cutting depth, tilt angle)
- » Complete with LED lamp to illuminate the work area
- » Ergonomic softgrip surfaces
- » Dust extraction adapter to keep the workplace clean
- » Parallel stop for precise cuts



**Standard Accessory**

- » 7-1/4"- 24 tooth circular saw blade

Professional Saws - Bare Tools

## 18V PROFESSIONAL CORDLESS RECIPROCATING SAW

- » Brushless motor - more power and longer runtimes
- » Rotatable main handle for maximum flexibility
- » Anti-vibration function ensures low vibration during operation
- » Adjustable 3 position soleplate for optimum blade use
- » Tool-free blade changes for quick application
- » Ergonomic softgrip surfaces



**Standard Accessory**

- » 6"- 7 TPI wood saw blade

**Art. No. 4432001**

**TP-CO 18/76 Li BL- BRUSHLESS**

Disc size	3"
No load speed	2,000 RPM
Depth adjustment	5/8"
Product weight	1.5 lbs
*Recommended for maximum results: 2.5 Ah battery *Battery and charger sold separately	Art. No. 4432001 TP-CO 18/76 Li BL



<sup>1)</sup>	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<sup>2)</sup>	46 ft	59 ft	92 ft	118 ft	134 ft	180 ft

<sup>1)</sup> Battery capacity <sup>2)</sup> Max. distance 1/64" sheet metal- max. speed

**Art. No. 4331211**

**TP-CS 18/190 Li BL- BRUSHLESS**

No load speed	3,800 RPM
Saw blade	7-1/4" x 5/8" x 3/16"
Number of saw teeth	24 teeth
Cutting depth at 45°	2-1/2"
Cutting depth at 90°	1-3/4"
Product weight	7.1 lbs
*Recommended for maximum results: 4.0 Ah battery *Battery and charger sold separately	Art. No. 4331211 TP-CS 18/190 Li BL



<sup>1)</sup>	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<sup>2)</sup>	78 ft	98 ft	160 ft	206 ft	239 ft	291 ft

<sup>1)</sup> Battery capacity <sup>2)</sup> Rip cutting 3/4" OSB

**Art. No. 4326311**

**TP-AP 18/28 Li BL- BRUSHLESS**

No load speed	0 - 2,500 SPM
Stroke length	1-1/8"
Cutting depth in wood	8"
Cutting depth in plastic	13/16"
Cutting depth in metal	1/2"
Product weight	4.4 lbs
*Recommended for maximum results: 2.0 or 2.5 Ah battery *Battery and charger sold separately	Art. No. 4326311 TP-AP 18/28 Li BL



<sup>1)</sup>	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<sup>2)</sup>	226 cuts	332 cuts	556 cuts	723 cuts	834 cuts	1112 cuts

<sup>1)</sup> Battery capacity <sup>2)</sup> Max. number of cuts in 1-3/8" round timber

Professional Saws - Bare Tools

## 18V PROFESSIONAL VARIABLE SPEED CORDLESS JIGSAW

- » Brushless motor - more power and longer runtimes
- » Tool-free universal blade holder
- » Includes dust blow-off function for optimum visibility
- » Complete with LED lamp to illuminate the work area
- » Integrated plastic sliding element for sensitive workpieces
- » Ergonomic softgrip surfaces
- » Complete with chip guard for cuts without splintering

Standard Accessory

- » 1 x wood saw blade



Art. No. 4321263

TP-JS 18/135 Li BL- BRUSHLESS

Speeds	7 settings
Strokes per minute	0 - 3,500 SPM
Stroke	1-1/32"
Max. cutting depth in wood	5-1/4"
Max. cutting depth in plastic	13/16"
Max. cutting depth in metal	13/32"
Orbital settings	4
Max. bevel capacity	45°
Product weight	4.8 lbs
*Recommended for maximum results: 2.0 or 2.5 Ah battery *Battery and charger sold separately	
Art. No. 4321263	TP-JS 18/135 Li BL

1)	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
2)	14 min	18 min	29 min	37 min	43 min	57 min

1) Battery capacity 2) Max. operating time in idle mode

Professional Saws - Bare Tools

## 18V PROFESSIONAL VARIABLE SPEED CORDLESS JIGSAW W/ BARREL GRIP

- » Brushless motor - more power and longer runtimes
- » Barrel grip handle for easy tool guidance overhead
- » Tool-free universal blade holder
- » Includes dust blow-off function for optimum visibility
- » Complete with LED lamp to illuminate the work area
- » Integrated plastic sliding element for sensitive workpieces
- » Ergonomic softgrip surfaces
- » Complete with chip guard for cuts without splintering

Standard Accessories

- » 3 x wood saw blades



Art. No. 4321267

TP-JST 18/135 Li BL- BRUSHLESS

Strokes per minute	0 - 3,500 SPM
Stroke	1-1/32"
Max. cutting depth in wood	5-1/4"
Max. cutting depth in plastic	13/16"
Max. cutting depth in metal	13/32"
Orbital settings	4
Max. bevel capacity	45°
Product weight	4.4 lbs
*Recommended for maximum results: 2.0 or 2.5 Ah battery *Battery and charger sold separately	
Art. No. 4321267	TP-JST 18/135 Li BL

1)	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
2)	14 min	18 min	29 min	37 min	43 min	57 min

1) Battery capacity 2) Max. operating time in idle mode

Professional Saws - Bare Tools

## 18V PROFESSIONAL CORDLESS OSCILLATING MULTI-TOOL

- » Brushless motor - more power and longer runtimes
- » Innovative anti-vibration head for vibration reduction
- » 3 functions: grinding, sawing and scraping
- » Quick-release tool-free accessory change
- » Electronic speed control to suit material and application
- » 12-pin tool holder for flexible positioning of accessories
- » Convenient accessory change thanks to magnetic tool holder
- » LED light for optimal illumination of the work area

Standard Accessories

- » Triangular grinding/sanding plate
- » 9 x grinding/sanding paper (3 x 60, 80, 120 Grit)
- » Scraper
- » Plunge-cut saw blade for wood and plastic (HCS)
- » BIM plunge-cut saw blade for metal
- » Segment saw blade for wood, plastic and soft metal (HSS)
- » Diamond segment saw blade for tile joint



Art. No. 4465191

TP-MG 18 Li BL- BRUSHLESS

Angle of oscillation	L/R: 1.6° (3.2° total)
Oscillating speed	22,000 - 40,000 OPM
No load speed	11,000 - 20,000 RPM
Sandpaper size	3.5" x 3.5" x 3.5"
Product weight	2.4 lbs
*Recommended for maximum results: 2.0 or 2.5 Ah battery *Battery and charger sold separately	
Art. No. 4465191	TP-MG 18 Li BL

1)	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
2)	34 min	43 min	68 min	89 min	102 min	136 min

1) Battery capacity 2) Max. operating time in idle mode



*Professional Sanders - Bare Tools*

## 18V 5" PROFESSIONAL RANDOM ORBIT SANDER

- » Brushless motor – more power and longer runtimes
- » Electronic speed control to suit material and application
- » Removable additional handle
- » Flat design for more control while sanding
- » Safe and comfortable working thanks to softgrip
- » Dust extraction with dust collection box and pleated filter



**Standard Accessories**

- » 3 x sanding discs (60/80/120 Grit)
- » Dust collection box



**Art. No. 4462021**

**TP-RS 18/32 Li BL- BRUSHLESS**

No load speed	3,000 - 12,000 RPM
Oscillating speed	6,000 - 24,000 OPM
Oscillating circuit	1/8"
Sanding disc size	5"
Product weight	2.4 lbs
*Recommended for maximum results: 2.0 or 2.5 Ah battery	
*Battery and charger sold separately	
Art. No. 4462021	
TP-RS 18/32 Li BL	7 72995 01916 8

	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	29 min	36 min	58 min	75 min	87 min	115 min

1) Battery capacity 2) Max. operating time in idle mode


**Optional Accessory**

25 pc. Sandpaper Kit (9 x 60, 8 x 120, 8 x 180 Grit)	Art. No. 4460737	
		7 72995 01801 7

*Professional Sanders - Bare Tools*

## 18V PROFESSIONAL CORDLESS 3/8" x 18" BELT SANDER

- » Brushless motor – more power and longer runtimes
- » Electronic speed control for material & usage-oriented work
- » Tool-free sanding belt change thanks to locking lever
- » Precise belt tracking adjustment
- » Handle and additional handle with softgrip for optimal handling
- » Integrated storage surface for stationary use
- » Continuous use lock for comfortable working
- » Integrated dust extraction and extraction adapter
- » Dust collection box for dust-free workplace



**Standard Accessories**

- » 3 sanding belts (80 Grit)
- » Dust extraction adapter

**Art. No. 4466271**

**TP-BS 18/457 Li BL- BRUSHLESS**

Belt speed	394 - 820 ft./min
Sanding belt	3" x 18"
Sanding surface	3" x 5"
Product weight	5.7 lbs
*Recommended for maximum results: 2.5 Ah battery	
*Battery and charger sold separately	
Art. No. 4466271	
TP-BS 18/457 Li BL	7 72995 01922 9

	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	15 min	18 min	30 min	38 min	44 min	59 min

1) Battery capacity 2) Max. operating time in idle mode

*Professional Drywall Sander - Bare Tool*

## 18V 9" PROFESSIONAL CORDLESS DRYWALL SANDER

- » Electronic speed control for adjusting to material & application
- » Switch with lock button for low-fatigue operation
- » Integrated dust extraction system for clean work area
- » Sanding disk with spring bearing for optimum contact to the wall
- » Sanding disk with micro hook-and-loop fastening
- » Swivel brush ring for keeping the workplace clean
- » Folding handle for easy transport and storage
- » Softgrip surfaces enable operation without fatigue
- » Supplied in a practical transport E-case



**Standard Accessories**

- » Extension hose w/ integrated supporting foot
- » Dust bag with quick-release fastener and harness
- » 6x sanding discs and 1x abrasive mesh
- » Adapter for connecting a suitable vacuum cleaner

**Art. No. 4259992**

**TP-DW 18/225 Li**

Variable speed range	600 - 1,200 RPM
Wheel diameter	9"
Item length	65"
Hose length	78"
Product weight	6.6 lbs
*Recommended for maximum results: 2.5 or 4.0 Ah battery	
*Battery and charger sold separately	
Art. No. 4259992	
TP-DW 18/225 Li	7 72995 01923 6

	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	27 min	33 min	53 min	69 min	80 min	110 min

1) Battery capacity 2) Max. operating time in idle mode

Professional Angle Grinders - Bare Tools

## 18V 4-1/2" PROFESSIONAL CORDLESS ANGLE GRINDER

- » Brushless motor – more power and longer runtimes
- » Quick fix nut for an easy and tool-free grinding wheel change
- » Softstart function and restart safeguard to make it safer for use
- » Overload cut-out for a long service life
- » Grinding wheel guard with quick adjust lever
- » Robust aluminium gearing housing
- » Additional handle can be fitted in 2 positions
- » Grinding wheel not included



Art. No. 4431147

AXXIO 18/115 Q- BRUSHLESS

Grinder wheel diameter	4-1/2"
No load speed	8,500 RPM
Max. cutting depth	1.1"
Spindle thread	5/8" - 11 UNC
Arbor	7/8"
Product weight	3.5 lbs
*Recommended for maximum results: 2.5 Ah battery *Battery and charger sold separately	Art. No. 4431147 AXXIO 18/115 Q



<sup>1)</sup>	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<sup>2)</sup>	29 cuts	37 cuts	63 cuts	92 cuts	94 cuts	126 cuts

<sup>1)</sup> Battery capacity <sup>2)</sup> Number of cuts through Ø 1/2" round steel

Professional Angle Grinders - Bare Tools

## 18V 5" PROFESSIONAL CORDLESS ANGLE GRINDER

- » Brushless motor - more power and longer runtimes
- » Softstart function and restart safeguard to make it safer to use
- » Overload cut-out for a long service life
- » Very smooth operation thanks to separation of motor and gearing
- » Disc guard with quick adjust lever for flexible working
- » Robust aluminum gearing housing
- » Dust protection guard protects the item from invading dust
- » Additional handle can be fitted in 2 positions
- » Grinding wheel not included



Art. No. 4431143

AXXIO 18/125- BRUSHLESS

Grinding wheel diameter	5"
No load speed	8,500 RPM
Max. cutting depth	1.29"
Spindle thread	5/8" - 11 UNC
Arbor	7/8"
Product weight	3.5 lbs
*Recommended for maximum results: 2.5 or 4.0 Ah battery *Battery and charger sold separately	Art. No. 4431143 AXXIO 18/125



<sup>1)</sup>	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<sup>2)</sup>	33 cuts	37 cuts	61 cuts	85 cuts	92 cuts	122 cuts

<sup>1)</sup> Battery capacity <sup>2)</sup> Number of cuts through Ø 1/2" round steel

Professional Specialty Tools - Bare Tools

## 18V 18-GAUGE PROFESSIONAL CORDLESS NARROW CROWN STAPLER

- » PressAir technology: Maintenance-free
- » Robust gearbox allows up to 60 impacts per minute
- » Switchable between single and bump-firing modes
- » Tool-free depth adjustment for precise work
- » Robust design with ergonomic handle
- » Large magazine with fill level indicator for up to 100 staples
- » Open the magazine with a push of a button
- » Tool-free removal of jammed staples
- » Safety against accidental activation of the stapler
- » Two LED illuminate the working area
- » Ergonomic softgrip surface for good grip
- » No scratching of the workpiece thanks to rubberized sides
- » Practical belt clip for additional user comfort
- » Suitable for 3/8"- 1-1/2" long standard 1/4" narrow crown staples



Art. No. 4257786

FIXETTO 18/38 S

Staple length	3/8" - 1-1/2"
Staple width	1/4" (0.22" - 0.24")
Max. number of shots	60 per min.
Magazine capacity	100 staples
Product weight	4.6 lbs
*Recommended for maximum results: 2.5 Ah battery *Battery and charger sold separately	Art. No. 4257786 FIXETTO 18/38 S



<sup>1)</sup>	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<sup>2)</sup>	850 staples	1063 staples	1700 staples	2210 staples	2250 staples	3400 staples
<sup>3)</sup>	780 staples	975 staples	1560 staples	2028 staples	2340 staples	3120 staples

<sup>1)</sup> Battery capacity <sup>2)</sup> Max. 7/8" staples in softwood <sup>3)</sup> Max. 1-1/2" staples in softwood

Standard Accessories

- » 500 1-1/2" narrow crown staples

Professional Specialty Tools - Bare Tools

## 18V 18-GAUGE PROFESSIONAL CORDLESS BRAD NAILER

- » PressAir technology: Maintenance-free
- » Robust gearbox allows up to 60 impacts per minute
- » Switchable between single and bump-firing modes
- » Tool-free depth adjustment for precise work
- » Robust design with ergonomic handle
- » Large magazine with fill level indicator for up to 100 nails
- » Tool-free removal of jammed brad nails
- » Safety against unintentional release of the nailer
- » Two LEDs illuminate the working area
- » No scratching of the workpiece thanks to rubberized sides
- » Practical belt clip for additional user comfort
- » Suitable for 5/8" - 2" long and 0.047" thick brad nails



**Standard Accessories**

- » 500 2" brad nails

Art. No. 4257796

FIXETTO 18/50 N

Nail length	5/8" - 2"
Nail diameter	0.047"
Max. number of shots	60 per min.
Magazine capacity	100 brad nails
Product weight	6.1 lbs

\*Recommended for maximum results: 2.5 Ah battery  
\*Battery and charger sold separately

Art. No. 4257796  
FIXETTO 18/50 N

Battery capacity <sup>1)</sup>	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
Max. 1-1/4" nails in softwood <sup>2)</sup>	840 nails	1050 nails	1679 nails	2183 nails	2519 nails	3358 nails
Max. 2" nails in softwood <sup>3)</sup>	685 nails	857 nails	1370 nails	1781 nails	2055 nails	2740 nails

<sup>1)</sup> Battery capacity <sup>2)</sup> Max. 1-1/4" nails in softwood <sup>3)</sup> Max. 2" nails in softwood

Professional Specialty Tools - Bare Tools

## 18V PROFESSIONAL CORDLESS COMPACT ROUTER

- » Brushless motor - more power and longer runtimes
- » Electronic speed control with powerful motor
- » Adjustable routing depth adjustment
- » Spindle lock for easy tool change
- » LED for optimum illumination of the work area
- » Plastic base plate insert protects the work surface
- » Ergonomic handle with softgrip
- » High quality aluminum enables precise milling



**Standard Accessories**

- » Edge guide, compass point, trimmer roller guide, collet, template guide and dust chute



Art. No. 4350415

TP-ET 18 Li BL- BRUSHLESS

Stroke	1-9/16"
No load speed	10,000 - 30,000 RPM
Collet	1/4"
Max. diameter router bit	1.18"
Product weight	2.9 lbs

\*Recommended for maximum results: 2.0 or 2.5 Ah battery  
\*Battery and charger sold separately

Art. No. 4350415  
TP-ET 18 Li BL

Battery capacity <sup>1)</sup>	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
1/8" deep milled grooves in softwood with 1/4" bit <sup>2)</sup>	95 ft	121 ft	190 ft	253 ft	289 ft	387 ft

<sup>1)</sup> Battery capacity <sup>2)</sup> 1/8" deep milled grooves in softwood with 1/4" bit

Professional Specialty Tools - Bare Tools

## 18V PROFESSIONAL CORDLESS COMPACT ROUTER W/ FIXED BASE & PLUNGE BASE

- » Brushless motor - more power and longer runtimes
- » Very smooth operation for exact cutting
- » Selectable pendulum action for fast cutting
- » Tool-free universal blade holder
- » Includes dust blow-off function for optimum visibility
- » LED lamp to illuminate the work area
- » Integrated plastic sliding element for sensitive workpieces
- » Ergonomic softgrip surfaces
- » Complete with chip guard for cuts without splintering



**Standard Accessories**

- » Edge guide, edge guide holder, compass point, trimmer roller guide, 1/4" collet, template guide, dust chutes, adjustment wrenches and storage bag



Art. No. 4350413

TP-RO 18 SET Li BL- BRUSHLESS

Stroke	1.38"   1.58"
No load speed	10,000 - 30,000 RPM
Collet	1/4"
Max. diameter router bit	1.18"
Product weights	2.8 lbs (fixed base) 5.3 lbs (plunge base)

\*Recommended for maximum results: 2.0 or 2.5 Ah battery  
\*Battery and charger sold separately

Art. No. 4350413  
TP-RO 18 SET Li BL

Battery capacity <sup>1)</sup>	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
1/8" deep milled grooves in softwood with 1/4" bit <sup>2)</sup>	95 ft	121 ft	190 ft	253 ft	289 ft	387 ft

<sup>1)</sup> Battery capacity <sup>2)</sup> 1/8" deep milled grooves in softwood with 1/4" bit

Professional LED Lights - Bare Tools


## 18V 3600 LUMEN PROFESSIONAL CORDLESS FOLDING PANEL LED WORK LIGHT



- » 60 bright LED with a total of 3600 lumens
- » 5700 K light color for a neutral tone of white and bright lighting conditions
- » Adjustable light intensity with dimming function
- » Ideal for illuminating distances up to 32.8 ft.
- » Adjustable folding panels for illuminating large areas up to 270°
- » Easy transport thanks to integrated carrying handle
- » Universal mounting via tripod thread (1/4" & 5/8")
- » Hooks and eyelets provide various mounting options



Art. No. 4514176

TP-CL 18/3000 Li

Number of LED	60
Max. lumens	3600 lm
Light color	5700 K
LED range	32.8 ft.
Product weight	3.7 lbs
*Recommended for maximum results: 2.0 or 2.5 Ah battery *Battery and charger sold separately	Art. No. 4514176 TP-CL 18/3000 Li
 <small>7 72995 02070 6</small>	

 <sup>1)</sup>	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	73 min	91 min	145 min	189 min	218 min	291 min

<sup>1)</sup> Battery capacity <sup>2)</sup> Max. operating time in max. brightness setting

Professional LED Lights - Bare Tools


## 18V 3600 LUMEN PROFESSIONAL CORDLESS FOLDING PANEL LED WORK LIGHT ON TRIPOD



- » 60 bright LED with a total of 3600 lumens
- » 5700 K light color for a neutral tone of white and bright lighting conditions
- » Adjustable light intensity with dimming function
- » Ideal for illuminating distances up to 32.8 ft.
- » Adjustable folding panels for illuminating large areas up to 270°
- » Easy transport thanks to integrated carrying handle
- » Universal mounting via tripod thread (1/4" & 5/8")
- » Hooks and eyelets provide various mounting options
- » Comes with tripod with adjustable height from 33" to 67"



Art. No. 4514173

TP-CL 18/3000 Li SET

Number of LED	60
Max. lumens	3600 lm
Light color	5700 K
LED range	32.8 ft.
Product weight	7.3 lbs
*Recommended for maximum results: 2.0 or 2.5 Ah battery *Battery and charger sold separately	Art. No. 4514173 TP-CL 18/3000 Li Set
 <small>7 72995 02069 0</small>	

 <sup>1)</sup>	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	73 min	91 min	145 min	189 min	218 min	291 min

<sup>1)</sup> Battery capacity <sup>2)</sup> Max. operating time in max. brightness setting

Standard Accessory

- » Adjustable tripod



# ***CORDLESS OUTDOOR POWER EQUIPMENT***

Lawn & Soil Care / Tree and Shrub care / Watering and Drainage



**Lawn Mower Kit with Battery and Charger**
**18V 13" CORDLESS PUSH LAWN MOWER KIT**

(w/ 4.0 Ah Battery and Charger)

- » **Brushless motor** - more power and longer runtimes
- » Battery capacity indicator with 3 LEDs
- » Central cutting height adjustment, 5 levels
- » Long folding handle for space-saving storage
- » Height-adjustable long handle with 3 settings
- » Integrated carry-handle for easy transport
- » Fill level indicator on the grass collection bag
- » Wide wheels with lawn-friendly operation
- » High quality, blowmold plastic housing
- » Recommended for lawn areas up to 2152 ft<sup>2</sup>

**Standard Accessories**

- » 1 x 4.0 Ah Power X-Change battery & charger


**Art. No. 3413298**
**GE-CM 18/33 Li BL KIT- BRUSHLESS**

Battery	18V   4.0 Ah   Li-Ion
Idle speed	3,400 RPM
Cutting width	13"
Cutting height adjustment	5 Steps   1" - 2.5"   Central
Collection bag capacity	8 gallon (30 L)
Wheel diameter (front)	6"
Wheel diameter (rear)	7"
Product weight	22.5 lbs
*1 x 4.0 Ah battery & charger included	Art. No. 3413298 GE-CM 18/33 Li BL KIT

<sup>1)</sup>	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<sup>2)</sup>	1076 ft <sup>2</sup>	1399 ft <sup>2</sup>	2152 ft <sup>2</sup>	3229 ft <sup>2</sup>	4305 ft <sup>2</sup>	5381 ft <sup>2</sup>

<sup>1)</sup> Battery capacity <sup>2)</sup> Max. workable area

**Optional Accessory**

13" Replacement Lawn Mower Blade	Art. No. 3405458
----------------------------------	------------------

**String Trimmers - Bare Tools**
**18V 10" CORDLESS TELESCOPIC STRINGLESS BLADE TRIMMER**

- » Safety guard and adjustable edge guide
- » Adjustable telescopic long handle
- » User-friendly two-hand operation thanks to additional handle
- » Ergonomic softgrip surfaces

**Standard Accessories**

- » 20 plastic blades


**Art. No. 3411119**
**GC-CT 18/24 Li**

Revolutions of blade	8,500 RPM
Cutting width of blade	9-1/2"
Product weight	2.8 lbs
*Recommended for maximum results: 2.0 or 2.5 Ah battery	Art. No. 3411119
*Battery and charger sold separately	GC-CT 18/24 Li

<sup>1)</sup>	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<sup>2)</sup>	55 min	65 min	125 min	160 min	180 min	250 min

<sup>1)</sup> Battery capacity <sup>2)</sup> Max. operating time in idle mode

**Optional Accessory**

20 pc. Replacement Blades Kit	Art. No. 3705727
-------------------------------	------------------

**String Trimmers - Bare Tools**
**18V 11" CORDLESS TELESCOPIC STRING TRIMMER**

- » Adjustable telescopic long handle
- » Adjustable additional handle
- » Motor head rotates 180° for vertical surfaces & lawn edges
- » Motor head tilts at 3 settings for versatile working
- » Edge guide protects flowers and trees against damage
- » Fully-automatic line spool feed
- » Ergonomic softgrip surfaces

**Standard Accessory**

- » 16.4 ft. x 0.065" trimmer line spool


**Art. No. 3411245**
**GE-CT 18/28 Li T**

Revolutions of thread	8,000 RPM
Cutting feature	Single line
Cutting width	11"
Thread diameter	0.065"
Thread length	16.4 ft.
Line feed	Automatic
Product weight	5.1 lbs
*Recommended for maximum results: 2.0 or 2.5 Ah battery	Art. No. 3411245
*Battery and charger sold separately	GE-CT 18/28 Li T

<sup>1)</sup>	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<sup>2)</sup>	45 min	55 min	85 min	95 min	115 min	120 min

<sup>1)</sup> Battery capacity <sup>2)</sup> Max. operating time in idle mode

**Optional Accessory**

16.4 ft. x 0.065" Trimmer Line Spool	Art. No. 3405118
--------------------------------------	------------------

*String Trimmers - Bare Tools*

**18V 12" CORDLESS TELESCOPIC STRING TRIMMER**

- » Adjustable telescopic long handle
- » Adjustable additional handle for comfortable handling
- » Motor head rotates 90° for vertical surfaces & lawn edges
- » Comes with edging-wheel which enables precise edge trimming
- » Motor head can be tilted at 3 settings
- » Edge guide protects flowers and trees against damage
- » Includes line spool (16.4 ft.) with bump-feed system
- » Ergonomic softgrip surfaces


**Standard Accessory**

- » 16.4 ft. x 0.065" trimmer line spool



**Art. No. 3411260**

**GE-CT 18/30 Li T**

Revolutions of thread	8,500 RPM
Cutting feature	Single line
Cutting width	12"
Thread diameter	0.065"
Thread length	16.4 ft.
Line feed	Bump-feed
Product weight	4.6 lbs
*Recommended for maximum results: 4.0 Ah battery *Battery and charger sold separately	
Art. No. 3411260 GE-CT 18/30 Li T	

 <sup>1)</sup>	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	30 min	35 min	55 min	65 min	80 min	120 min

<sup>1)</sup> Battery capacity <sup>2)</sup> Max. operating time in idle mode

**Optional Accessory**

16.4 ft. x 0.065" Trimmer Line Spool	Art. No. 3405119	
--------------------------------------	------------------	-------------------------------------------------------------------------------------

*String Trimmers - Bare Tools*

**36V 12" CORDLESS STRING TRIMMER**

- » TWIN-PACK technology: 2 x 18V Power X-Change batteries required
- » Front-Motor: Perfect power transmission and weight balance
- » Adjustable additional handle
- » Electronic speed control
- » Long handle made of aluminum
- » Split handle for easy transport and space-saving storage
- » Safety guard and edge guide
- » Wall bracket
- » Ergonomic softgrip surfaces


**Standard Accessory**



- » 26 ft. x 0.080" trimmer line spool



**Art. No. 3411295**

**GE-CT 36/30 Li E**

Revolutions of thread	9,000 RPM
Cutting feature	Single line
Cutting width	12"
Thread diameter	0.080"
Thread length	26 ft.
Line feed	Automatic
Product weight	6.6 lbs
*Recommended for maximum results: 2 x 4.0 Ah batteries *Batteries and charger sold separately	
Art. No. 3411295 GE-CT 36/30 Li E	

 <sup>1)</sup>	⊗ 2.0 Ah	⊗ 2.5 Ah	⊗ 4.0 Ah	⊗ 5.2 Ah	⊗ 6.0 Ah	⊗ 8.0 Ah
 <sup>2)</sup>	30 min	38 min	60 min	75 min	90 min	120 min

<sup>1)</sup> Battery capacity <sup>2)</sup> Max. operating time in idle mode

**Optional Accessory**

26 ft. x 0.080" Trimmer Line Spool	Art. No. 3405097	
------------------------------------	------------------	---------------------------------------------------------------------------------------

*Hedge Trimmers - Kits & Bare Tools*

**18V 20" CORDLESS HEDGE TRIMMER KIT**

(w/ 2.0 Ah Battery and Charger)

- » Blades are made of laser-cut and diamond-ground steel
- » Ergonomic, small front handle with micro switch
- » Metal gearing for a long life
- » Cutting collector included
- » Shock guard with wall mount
- » Sturdy cutter guard for storage and transportation


**Standard Accessories**



- » 1 x 2.0 Ah Power X-Change battery & charger



**Art. No. 3410709**

**GE-CH 1846 Li KIT**

Battery	18V   2.0 Ah   Li-Ion
Blade length	20-1/2"
Spacing between teeth	9/16"
Max. cutting diameter	0.43"
Cutting speed	2,200 cuts/min
Product weight	4.4 lbs
*1 x 2.0 Ah battery & charger included	
Art. No. 3410709 GE-CH 1846 Li KIT	

 <sup>1)</sup>	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	80 min	100 min	160 min	210 min	240 min	320 min

<sup>1)</sup> Battery capacity <sup>2)</sup> Max. operating time in idle mode

*Hedge Trimmers - Kits & Bare Tools*

**18V 24" CORDLESS HEDGE TRIMMER**

- » Blades are made of laser-cut and diamond-ground steel
- » Ergonomic slim front handle with micro switch
- » Metal gearing for a long life
- » Cutting collector
- » Aluminum cover over blades
- » Ergonomic softgrip surfaces
- » Shock guard with wall mount
- » Sturdy cutter guard for storage and transportation



**Art. No. 3410923**

**ARCURRA 18/55 Li**

Blade length	24-1/2"
Space between teeth	3/4"
Max. cutting diameter	0.6"
Cutting speed	2,400 cuts/min
Product weight	6.2 lbs
*Recommended for maximum results: 4.0 Ah battery *Battery and charger sold separately	Art. No. 3410923 ARCURRA 18/55 Li



<sup>1)</sup>	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<sup>2)</sup>	45 min	53 min	90 min	110 min	135 min	180 min

<sup>1)</sup> Battery capacity <sup>2)</sup> Max. operating time in idle mode

*Hedge Trimmers - Kits & Bare Tools*

**36V 28" CORDLESS HEDGE TRIMMER**

- » TWIN-PACK technology: 2 x 18V Power X-Change batteries required
- » Blades are made of laser-cut and diamond-ground steel
- » Ergonomic slim front handle with micro switch
- » Pivoting rear handle
- » Metal gearing for a long life
- » Cutting collector
- » Aluminum cover over cutters
- » Safety guard with holder for wall mount
- » Sturdy cutter guard for storage and transportation



**Art. No. 3410963**

**GE-CH 36/65 Li**

Blade length	28.375"
Space between teeth	1.18"
Max. cut diameter	0.7"
Cutting speed	2,700 cuts/min
Product weight	8.8 lbs
*Recommended for maximum results: 2 x 4.0 Ah batteries *Batteries and charger sold separately	Art. No. 3410963 GE-CH 36/65 Li



<sup>1)</sup>	⊗ 2.0 Ah	⊗ 2.5 Ah	⊗ 4.0 Ah	⊗ 5.2 Ah	⊗ 6.0 Ah	⊗ 8.0 Ah
<sup>2)</sup>	45 min	53 min	90 min	110 min	135 min	180 min

<sup>1)</sup> Battery capacity <sup>2)</sup> Max. operating time in idle mode

*Pole Hedge Trimmer - Bare Tool*

**18V 18" CORDLESS POLE HEDGE TRIMMER**

- » Motor head can be tilted
- » Blade made of laser-cut and diamond-ground steel
- » Metal gearing for long life
- » Sturdy cutter guard for storage and transportation
- » Shoulder strap



**Art. No. 3410584**

**GC-HH 18/45 Li**

Blade length	18"
Space between teeth	3/4"
Max. cutting diameter	0.70"
Cutting speed	1,400 cuts/min
Product weight	6.8 lbs
*Recommended for maximum results: 4.0 Ah battery *Battery and charger sold separately	Art. No. 3410584 GC-HH 18/45 Li



<sup>1)</sup>	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<sup>2)</sup>	30 min	35 min	60 min	70 min	80 min	112 min

<sup>1)</sup> Battery capacity <sup>2)</sup> Max. operating time in idle mode

**Standard Accessory**

- » Extension pole (26.4" long)



*Pole Chain Saw - Bare Tool*

**18V 8" CORDLESS POLE CHAIN SAW**

- » OREGON bar and chain
- » Metal gearing for long life
- » Automatic chain lubrication
- » 30° fixed head
- » Sturdy cutter guard for storage and transportation
- » Shoulder strap

**Standard Accessory**

- » Extension pole (26.4" long)



**Art. No. 3410583**

**GC-LC 18/20 Li**

Bar length	8"
Cutting speed	18.4 ft./sec. (5.5 m/sec.)
Chain pitch   teeth	3/8"   33
Chain thickness	0.043"
Oil tank capacity	70 ml
Product weight	7.9 lbs
*Recommended for maximum results: 4.0 Ah battery *Battery and charger sold separately	Art. No. 3410583 GC-LC 18/20 Li

<sup>1)</sup>	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<sup>2)</sup>	50 cuts	65 cuts	100 cuts	130 cuts	155 cuts	200 cuts

<sup>1)</sup> Battery capacity <sup>2)</sup> Max. cuts in 2-3/4" x 2-3/4" timber

**Optional Accessory**

8" Replacement Saw Chain	Art. No. 90PX033X
--------------------------	-------------------

*Multi-Attachment Tools - Bare Tools*

**18V 2-IN-1 CORDLESS TELESCOPIC COMBO**

(8" Pole Chain Saw / 18" Hedge Trimmer)

- » Attachment can pivot 90° for effortless horizontal cuts
- » Tilting motor head with 7 settings
- » Tilting main handle with 4 settings
- » Adjustable telescopic aluminum handle (6 ft. - 9 ft.-7" chain saw / 6 ft. - 10 ft. hedge trimmer)
- » Adjustable additional handle with quick fastener
- » Metal gearing for a long life
- » OREGON quality blade and chain
- » Tool-free chain tensioning and chain change
- » Blade made of laser-cut and diamond-grinded steel
- » Shoulder strap
- » Oil tank with automatic chain lubrication



**Art. No. 3410789**

**GE-HC 18 Li T**

Chain saw bar length	8"
Chain saw cutting speed	12.14 ft./sec. (3.7 m/sec.)
Hedge trimmer blade length	17.7"
Spacing between teeth	5/8"
Cutting speed	1,700 cuts/min.
Product weight	8.6 lbs
*Recommended for maximum results: 4.0 Ah battery *Battery and charger sold separately	Art. No. 3410789 GE-HC 18 Li T

<sup>1)</sup>	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<sup>2)</sup>	40 cuts	48 cuts	75 cuts	100 cuts	120 cuts	150 cuts
<sup>3)</sup>	30 min	35 min	60 min	75 min	80 min	120 min

<sup>1)</sup> Battery capacity <sup>2)</sup> Chain Saw- Max. cuts in 2-3/4" x 2-3/4" timber <sup>3)</sup> Hedge Trimmer- Max. operating time in idle mode

*Multi-Attachment Tools - Bare Tools*

**36V 4-IN-1 CORDLESS TELESCOPIC COMBO**

(13" String Trimmer / 10" Brush Cutter / 8" Pole Chain Saw / 20" Hedge Trimmer)

- » **Brushless motor** - more power and longer runtimes
- » **TWIN-PACK technology:** 2 x 18V Power X-Change batteries
- » Hedge trimmer cutting head tilts with 7 settings
- » OREGON quality blade and chain
- » Oil tank for automatic chain lubrication
- » Single line spool with bump feed system
- » High-quality 3-tooth brush cutter blade



**Art. No. 3411325**

**GE-LM 36/4in1 Li BL- BRUSHLESS**

Hedge trimmer blade length	20"
Tooth spacing	0.95"
Chain saw bar length	8"
Cutting speed	32.8 ft./sec. (10 m/sec.)
String trimmer cutting diameter	13"
Brush cutter blade cutting diameter	10"
Product weight	8.8 lbs
*Recommended for maximum results: 2 x 4.0 Ah batteries *Batteries and charger sold separately	Art. No. 3411325 GE-LM 36/4in1 Li BL

<sup>1)</sup>	⊖ 2.0 Ah	⊖ 2.5 Ah	⊖ 4.0 Ah	⊖ 5.2 Ah	⊖ 6.0 Ah	⊖ 8.0 Ah
<sup>2)</sup>	80 cuts	100 cuts	160 cuts	200 cuts	240 cuts	320 cuts
<sup>3)</sup>	34 min	41 min	68 min	86 min	108 min	136 min
<sup>4)</sup>	27 min	33 min	54 min	66 min	88 min	108 min
<sup>5)</sup>	28 min	33 min	56 min	66 min	80 min	112 min

<sup>1)</sup> Battery capacity \*Max. operating time per battery charge <sup>2)</sup> Chain Saw- Max. cuts in 2-3/4" x 2-3/4" timber <sup>3)</sup> Brush Cutter <sup>4)</sup> String Trimmer <sup>5)</sup> Hedge Trimmer

**Standard Accessory**

- » Extension pole (26.4" long)

**Optional Accessories**

10" Replacement Brush Cutter Blade	Art. No. 3405084
------------------------------------	------------------

26 ft. x 0.080" Trimmer Line Spool	Art. No. 3405097
------------------------------------	------------------

Pruning / Shrub Shears - Bare Tools

**18V CORDLESS PRUNING SHEAR**

- » For powerful cutting of branches with a thickness up to 1.1"
- » High-quality bypass blades for efficient cutting work
- » Belt clip for optimum carrying comfort
- » Safety switch for safety while using the shear
- » Sliding switch for closing/opening the blade
- » Sturdy plastic cover for the blade for safe storage
- » Effortless and easy change of blade
- » Ergonomic softgrip surface



Art. No. 3408304

GE-LS 18 Li

Max. cutting capacity (softwood)	1.1"
Max. cutting capacity (hardwood)	0.6"
Product weight	1.9 lbs
*Recommended for maximum results: 2.5 Ah battery *Battery and charger sold separately	Art. No. 3408304 GE-LS 18 Li



<sup>1)</sup>	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<sup>2)</sup>	1426 cuts	1783 cuts	2852 cuts	3708 cuts	4278 cuts	5704 cuts

<sup>1)</sup> Battery capacity <sup>2)</sup> Max. cuts in 5/8" round dry beech wood

Pruning / Shrub Shears - Bare Tools

**18V 2-IN-1 CORDLESS TELESCOPIC GRASS SHEAR & HEDGE TRIMMER (WITH WALKING STICK)**

- » Grass shear blade used for perfect cutting result on edges
- » Hedge trimmer blade for hedge and bush care
- » Easy blade change without tools
- » Laser-cut and diamond grinded blades
- » Adjustable telescopic handle
- » Ergonomic softgrip surfaces



Art. No. 3410314

GE-CG 18/100 Li T

Cutting length (Grass Shear)	4"
Cutting length (Hedge Trimmer)	7.9"
Hedge trimmer cutting diameter	5/16"
Product weight	3.4 lbs
*Recommended for maximum results: 2.5 Ah battery *Battery and charger sold separately	Art. No. 3410314 GE-CG 18/100 Li T



<sup>1)</sup>	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<sup>2)</sup>	240 min	300 min	480 min	650 min	720 min	960 min

<sup>1)</sup> Battery capacity <sup>2)</sup> Max. operating time in idle mode

Chain Saws- Kits & Bare Tools

**18V 6" CORDLESS COMPACT PRUNING CHAIN SAW**

- » **Brushless motor** – more power and longer runtimes
- » Excellent for pruning, trimming and shaping trees and shrubs or cutting squared timber
- » Low vibration due to highly efficient motor
- » High quality bar/chain set for high cutting performance
- » Slim shaped handle for ergonomic working
- » Tool-free change of chain and bar
- » Safe use thanks to hand guard and folding chain cover
- » Slim and lightweight design for ergonomic work
- » Hex. key on device for tensioning the chain
- » Comes with measuring help for manual chain lubrication and protective bar cover for storing the chain saw



Art. No. 4600035

GE-PS 18/15 Li BL- BRUSHLESS

Bar length	6"
Cutting speed	189 IPS (4.8 m/s)
Chain pitch	0.3"
Chain thickness	0.039"
Product weight	2.4 lbs
*Recommended for maximum results: 4.0 Ah battery *Battery and charger sold separately	Art. No. 4600035 GE-PS 18/15 Li BL



<sup>1)</sup>	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<sup>2)</sup>	127 pcs	158 pcs	254 pcs	329 pcs	380 pcs	506 pcs

<sup>1)</sup> Battery capacity <sup>2)</sup> Max. pcs. when cutting 2" round soft wood

**Optional Accessories**



6" Replacement Bar	Art. No. 4500183
6" Replacement Saw Chain	Art. No. 4500184



Chain Saws - Kits & Bare Tools

**18V 10" CORDLESS CHAIN SAW KIT**

(w/ 4.0 Ah Battery and Charger)

- » OREGON quality bar and chain
- » Tool-free chain tensioning and changing
- » Ergonomic handle
- » Metal stop claw
- » Big oil filler opening
- » Automatic chain lubrication
- » Chain catch bolt



Standard Accessories

- » 1 x 4.0 Ah Power X-Change battery & charger



Chain Saws - Kits & Bare Tools

**18V 12" CORDLESS CHAIN SAW**

- » **Brushless motor** – more power and longer runtimes
- » OREGON quality bar and chain
- » Adjustable chain speed
- » Switch between max. power and Eco-Mode
- » Tool-free chain tensioning and changing
- » Kickback protection with chain brake
- » Ergonomic handle with softgrip
- » Metal stop claw
- » Large oil filler opening
- » Automatic chain lubrication
- » Chain catcher



Leaf Blowers/Vacuums/Mulchers - Kits & Bare Tools

**18V 110 CFM CORDLESS UNIVERSAL BLOWER**

- » Comes with 3 tubes for different applications in house & garden
- » Useable as a leaf blower with the long tube
- » Useable as a workshop blower with the middle tube
- » Useable as a barbecue lighting aid or fire pit starter with short, precision tube
- » Electronic speed control
- » LED lights show the set speed
- » Softgrip handle for fatigue-free work
- » Integrated wall holder for easy storage
- » Strong blow-air velocity of 250 km/h



**Art. No. 4501786**

**GE-LC 18/25-1 Li KIT**

Battery	18V   4.0 Ah   Li-Ion					
Bar length	10"					
Cutting speed	117 IPS (4.5 m/sec.)					
Chain pitch / teeth	3/8"   40					
Chain thickness	0.043"					
Oil capacity	200 ml					
Product weight	5.1 lbs					
*1 x 4.0 Ah battery & charger included			Art. No. 4501786			
			GE-LC 18/25-1 Li KIT			
<sup>1)</sup>	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<sup>2)</sup>	80 pcs	85 pcs	130 pcs	180 pcs	200 pcs	320 pcs

<sup>1)</sup> Battery capacity <sup>2)</sup> Max. cuts (2-3/4" x 2-3/4")

Optional Accessories

10" Replacement Bar	Art. No. 575271	
10" Replacement Saw Chain	Art. No. 90PX040X	

**Art. No. 4600015**

**FORTEXXA 18/30- BRUSHLESS**

Bar length	12"					
Cutting speed	350.4 IPS (8.9 m/sec.)					
Chain pitch / teeth	3/8"   45					
Chain thickness	0.043"					
Oil capacity	160 ml					
Product weight	8.8 lbs					
*Recommended for maximum results: 4.0 Ah battery			Art. No. 4600015			
*Battery and charger sold separately			FORTEXXA 18/30			
<sup>1)</sup>	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<sup>2)</sup>	70 pcs	88 pcs	140 pcs	182 pcs	210 pcs	280 pcs
<sup>3)</sup>	78 pcs	98 pcs	156 pcs	203 pcs	234 pcs	312 pcs

<sup>1)</sup> Battery capacity <sup>2)</sup> Max. cuts in 2-3/4" x 2-3/4" timber (MAX. mode) <sup>3)</sup> Max. cuts in 2-3/4" x 2-3/4" timber (ECO mode)

Optional Accessories

12" Replacement Bar	Art. No. 124MLEA041	
12" Replacement Saw Chain	Art. No. 90PX045X	

**Art. No. 3433551**

**GE-UB 18/250 Li E**

Max. air volume	110 CFM					
Max. air speed	250 km/h					
No load speed	4,500 - 15,000 RPM					
Power levels	5					
Product weight	2.2 lbs					
*Recommended for maximum results: 2.0 or 2.5 Ah battery			Art. No. 3433551			
*Battery and charger sold separately			GE-UB 18/250 Li E			
<sup>1)</sup>	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<sup>2)</sup>	65 min	80 min	130 min	166 min	192 min	260 min

<sup>1)</sup> Battery capacity <sup>2)</sup> Max. operating time in idle mode

## Leaf Blowers/Vacuums/Mulchers - Kits &amp; Bare Tools

**18V 100 CFM CORDLESS LEAF BLOWER KIT**

(w/ 2.0 Ah Battery and Charger)

- » Electronic speed control
- » Softgrip for user-friendly operation
- » Small and easy to handle
- » Low weight
- » Strong blow-air velocity of 250 km/h


**Standard Accessories**

- » 1 x 2.0 Ah Power X-Change battery & charger

**Art. No. 3433543**
**GC-CL 18/1 Li E KIT**

Battery	18V   2.0 Ah   Li-Ion
Max. air volume	100 CFM
Max. air speed	250 km/h
No load speed	1,400 - 12,000 RPM
Speed levels	6
Product weight	3.3 lbs
*1 x 2.0 Ah battery & charger included	Art. No. 3433543 GC-CL 18/1 Li E KIT

Battery capacity <sup>1)</sup>	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
Max. operating time in ECO/BOOST mode <sup>2)</sup>	14-240 min	16-300 min	26-480 min	40-660 min	42-720 min	52-960 min

1) Battery capacity 2) Max. operating time in ECO/BOOST mode

## Leaf Blowers/Vacuums/Mulchers - Kits &amp; Bare Tools

**18V 3-IN-1 300 CFM CORDLESS LEAF BLOWER/VACUUM/MULCHER**

- » **Brushless motor** - more power and longer runtimes
- » Tool-free change from blowing and suction function
- » Electronic speed control
- » Large long-lasting quality collection bag with inspection window
- » Collection bag assembly via clever quick fastening system
- » Integrated shredding function includes additional metal knife
- » Comes with additional handle and comfortable shoulder strap
- » Softgrip for non-slip and convenient work
- » Guide wheels for better weight relief
- » Integrated wall holder for easy storage
- » Removable tube for space-saving storage
- » High blowing air speed up to 210 km/h
- » Strong suction power up to 300 CFM


**Art. No. 3433647**
**VENTURRO 18/210- BRUSHLESS**

Max. suction power	300 CFM
Max. blowing power	106 CFM
Max. air speed	210 km/h
No load speed	8,000 - 14,000 RPM
Shredding rate	10:1
Collection bag volume	10 Gallon (38 L)
Product weight	6.6 lbs
*Recommended for maximum results: 4.0 Ah battery	Art. No. 3433647
*Battery and charger sold separately	VENTURRO 18/210

Battery capacity <sup>1)</sup>	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
Max. time- Vacuuming leaves <sup>2)</sup>	0-14 min	5-18 min	9-30 min	11-42 min	15-45 min	18-60 min
Max. time- Blowing leaves <sup>3)</sup>	4-15 min	5-19 min	9-32 min	13-40 min	14-48 min	18-64 min

1) Battery capacity 2) Max. time- Vacuuming leaves 3) Max. time- Blowing leaves

## Chipper Shredder - Bare Tool

**36V CORDLESS CHIPPER SHREDDER**

- » **TWIN-PACK technology**: 2 x 18V Power X-Change batteries required
- » Hinged, transparent battery cover for protection
- » For shredding hard, dry wood up to max. 1" and fresh, moist cuttings
- » 3 turning knives made of special steel for effective work
- » Generous funnel opening
- » Motor with circuit breaker
- » Swing-down funnel with safety interlock
- » Robust chassis with wheels
- » High-quality collection bag with 14.5 Gallon (55 L) volume
- » Hooks for securing the shredding collection bag
- » Practical transport handle


**Art. No. 3430730**
**REDAXXO 36/25**

Max. branch diameter	1"
Number of turning blades	3 pcs.
Collection bag capacity	14.5 Gallon (55 L)
Product weight	22.9 lbs
*Recommended for maximum results: 2 x 4.0 Ah batteries	Art. No. 3430730
*Batteries and charger sold separately	REDAXXO 36/25

Battery capacity <sup>1)</sup>	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
Max. operating time in idle mode <sup>2)</sup>	20 min	25 min	40 min	52 min	60 min	80 min

1) Battery capacity 2) Max. operating time in idle mode

**Optional Accessory**

3 pc. 2" Chipper Shredder Replacement Blades Kit	Art. No. 3405935
--------------------------------------------------	------------------

*Tiller/Cultivator - Bare Tool*


**36V 12" CORDLESS TILLER/CULTIVATOR**



- » TWIN-PACK technology: 2 x 18V Power X-Change batteries required
- » Two-point safety switch
- » Ergonomic folding handle
- » Robust cultivator blades
- » Height-adjustable wheels for easy transportation



**Art. No. 3431205**

**GE-CR 30 Li**

Working width	12"
Working depth	8"
Number of blades	4
Diameter of blades	8.625"
Product weight	26 lbs
*Recommended for maximum results: 2 x 4.0 Ah batteries *Batteries and charger sold separately	
Art. No. 3431205 GE-CR 30 Li	 7 72995 01934 2

 <sup>1)</sup>	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	20 min	21 min	35 min	50 min	60 min	70 min

<sup>1)</sup> Battery capacity <sup>2)</sup> Max. operating time in idle mode

*Surface Cleaning - Bare Tool*


**18V CORDLESS PATIO & SURFACE CLEANER**



- » Integrated garden hose connection with water control valve
- » Tool-free brush change at the push of a button
- » Telescopic aluminium handle
- » Extra wide rotating brush for fast cleaning results
- » Forward/reverse function for maximum results
- » Adjustable speed control to suit individual requirements
- » Special side brush for cleaning right up to walls and edges
- » Splash guards provide splash protection during use
- » Height adjustable additional handle with integrated garden hose clip
- » Ergonomic main handle with softgrip



**Art. No. 3424211**

**PICOBELLA 18/215**

No load speed	800 - 1,400 RPM
Brush diameter / width	4-1/2" x 8-1/4"
Max. water inlet pressure	87 PSI
Water inlet connection	3/4" 11.5 GHT
Product weight	9 lbs
*Recommended for maximum results: 4.0 Ah battery *Battery and charger sold separately	
Art. No. 3424211 PICOBELLA 18/215	 7 72995 02051 5

 <sup>1)</sup>	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	30 min	34 min	55 min	70 min	90 min	110 min

<sup>1)</sup> Battery capacity <sup>2)</sup> Max. operating time in idle mode

**Standard Accessories**

- » Medium brush set (stone)
- » Splash guards, hose clip and water control valve



**Optional Accessory**

Replacement Medium Brush Set (Stone)	Art. No. 3424137	 7 72995 02081 2
--------------------------------------	------------------	----------------------------------------------------------------------------------------------------------

*Seed, Fertilizer / Salt Spreaders - Bare Tools*


**18V CORDLESS UNIVERSAL SPREADER**



- » Electronic speed control with 6 steps
- » Flow rate adjustment with 8 steps
- » 1 Gallon (3.8 L) fill volume
- » Ergonomic and safe handling due to softgrip
- » Individual adjustable spreading width (max. 16.4 ft.)
- » Easily spread fertilizer, lawn seeds or driveway salt



**Art. No. 3415411**

**GE-US 18 Li**

Fill volume	1 Gallon (3.8 L)
Spreading width adjustment	7.2 - 16.4 ft.
Speed control	6 steps (max. 1,800 RPM)
Flow rate adjustment	8 steps
Recommended area	8,600 ft. <sup>2</sup>
Product weight	2.7 lbs
*Recommended for maximum results: 2.0 or 2.5 Ah battery *Battery and charger sold separately	
Art. No. 3415411 GE-US 18 Li	 7 72995 01933 5

 <sup>1)</sup>	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 <sup>2)</sup>	3 hours	4 hours	7 hours	9 hours	10 hours	14 hours

<sup>1)</sup> Battery capacity <sup>2)</sup> Max. operating time in idle mode

## Seed, Fertilizer / Salt Spreaders - Bare Tools

**18V CORDLESS MULTI-PURPOSE SPREADER**

- » 6-stage electronic speed control
- » 6-stage ergonomic flow rate adjustment knob
- » 6 Gallon (23 L) fill tank capacity
- » Spreading width of 5 - 20 ft.
- » Ergonomically shaped handle for fatigue-free work
- » Individually adjustable spread width
- » Spread fertilizer, grass seed and even driveway salt
- » Ergonomic and secure handling thanks to softgrip
- » Max. coverage of 16,145 ft<sup>2</sup>


**Art. No. 3415440**
**GE-SR 18/22 Li**

Tank capacity/ bulk weight	6 Gallons (23 L) / 66 lbs
Spreading speed adjustment	6 stages
Flow rate adjustment	6 stages
No load speed	330 - 700 RPM
Product weight	14.3 lbs

\*Recommended for maximum results: 4.0 Ah battery  
\*Battery and charger sold separately

 Art. No. 3415440  
GE-SR 18/22 Li


<sup>1)</sup>	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<sup>2)</sup>	4 hours	5 hours	8 hours	10 hours	11 hours	15 hours

<sup>1)</sup> Battery capacity <sup>2)</sup> Max. operating time in idle mode

## Chemical/Pressure Sprayers - Bare Tools

**18V CORDLESS 2 GALLON (7.5 L) CHEMICAL SPRAYER**

- » Automatic pump, no manual pressure build-up required
- » Transparent tank with scale for checking the level
- » Adjustable brass nozzle
- » Telescopic lance made of stainless steel
- » Battery cover provides protection against water
- » Spray lance with lockable operating button
- » Padded shoulder strap for tireless working
- » Use: Pesticides/fertilizers/weed killers


**Art. No. 3425221**
**GE-WS 18/75 Li**

Tank capacity	2 Gallon (7.5 L)
Tank volume	8.2 L
Max. pump pressure	36 PSI (2.5 bars)
Flow rate	8 - 16 Gal./h (30 - 60 L/h)
Hose length	55"
Product weight	5.3 lbs

\*Recommended for maximum results: 4.0 Ah battery  
\*Battery and charger sold separately

 Art. No. 3425221  
GE-WS 18/75 Li


<sup>1)</sup>	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<sup>2)</sup>	6 hours	7.5 hours	12 hours	16 hours	20 hours	24 hours

<sup>1)</sup> Battery capacity <sup>2)</sup> Max. operating time in idle mode

**Optional Accessory**

Replacement 2 Gallon (7.5 L) Tank	Art. No. 3425207
-----------------------------------	------------------



## Chemical/Pressure Sprayers - Bare Tools

**18V CORDLESS 4 GALLON (15 L) BACKPACK PRESSURE SPRAYER**

- » Automatic pump, no manual pressure build-up required
- » Transparent tank with scale for checking the level
- » Individually adjustable brass nozzle
- » Spray lance made of stainless steel, with lockable operating button
- » Battery cover provides protection against water
- » Large opening for easy filling up
- » Padded carrying straps for tireless working
- » Use: Pesticides/fertilizers/weed killers


**Art. No. 3425231**
**GE-WS 18/150 Li**

Tank capacity	4 Gallon (15 L)
Max. pump pressure	65 PSI
Flow rate (min - Max)	54 - 102 L/h
Length pressure hose	4.6 ft.
Product weight	9.7 lbs

\*Recommended for maximum results: 4.0 Ah battery  
\*Battery and charger sold separately

 Art. No. 3425231  
GE-WS 18/150 Li


<sup>1)</sup>	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<sup>2)</sup>	2.5 hours	3.5 hours	5 hours	7 hours	8.5 hours	10 hours

<sup>1)</sup> Battery capacity <sup>2)</sup> Max. operating time in idle mode

*Water Hose Reel - Bare Tool*

**18V 5/8" X 100 FT. CORDLESS WATER HOSE REEL**

- » Hose winding at the touch of a button: Effortless, no more dirty hands
- » 2-in-1 device: Wall-mounted hose reel and mobile/transport trolley hose reel (sold separately) – Hose reel can be wall mounted or installed on the optional mobile/transport trolley (4173780)
- » Practical wall mount includes dowels and stainless steel screws for fastening to the house wall
- » Drum can be swivelled by up to 180°, this enables watering without folding the hose at any angle
- » Automatic motor stop thanks to adjustable stopper ball
- » Internal hose guiding mechanism ensures even retraction
- » Residual water drainage in the hose reel
- » UV and splash-proof housing withstands all weather conditions



**Standard Accessories**

- » 5 ft. connection hose and adapter with aquastop and 3 connectors (1/2", 3/4", 1"), UV-resistant 100 ft. garden hose with stopper ball, adapter with aquastop and garden sprayer (point and cone jet)

*Water Hose Reel - Accessory*

**MOBILE HOSE REEL TROLLEY & GARDEN CART**

- » Tool-free mounting of hose reel for mobile use
- » Maximum load capacity of 110 lbs
- » Large 6-3/4" wheels made of high-quality plastic
- » Wide cargo surface of 11" x 13-3/8" for versatility of use
- » Can also be used for transporting potted plants or crates



**Standard Accessories**

- » 5/8" x 5 ft. extension hose with double nipple, 20 Gallon (75 L) garden waste bag and 2 ground stakes for anchoring the trolley on the lawn

**Art. No. 4173779**

**GE-HR 18/30 Li**

Length garden hose	100 ft.
Diameter garden hose	5/8"
Length connecting hose	5 ft.
Diameter connecting hose	5/8"
Product weight	24 lbs

\*Recommended for maximum results: 4.0 Ah battery  
 \*Battery and charger sold separately

<sup>1)</sup>	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<sup>2)</sup>	33 times	42 times	66 times	86 times	100 times	132 times

<sup>1)</sup> Battery capacity <sup>2)</sup> Max. number of rewinds without water in water hose

**Optional Accessory**



Wall Holder	Art. No. 417377001186	
-------------	-----------------------	--

**Art. No. 4173780**

**HOSE\_REEL\_MOBILE\_CART**

Max. weight	110 lbs
Loading surface	11" x 13.4"
Extension hose	5/8" x 5 ft.
Garden waste bag	20 Gallon (75 L)
Product weight	10.5 lbs

Art. No. 4173780  
 HOSE\_REEL\_MOBILE\_CART



*Pressure Washers - Bare Tools*

**18V 348 PSI 1.0 GPM CORDLESS PRESSURE WASHER**

- » Handy, light and compact for convenient cleaning
- » Fast cleaning of lightly soiled surfaces with 1.0 GPM
- » Spray gun with pressure regulation for cleaning and watering
- » Adjustable 4 jet nozzle



**Standard Accessories**

- » Spray lance extension for better reach, detergent bottle for thorough cleaning, 16 ft. suction hose for water extraction from buckets, lakes, etc., water filter to protect the pump, storage bag for storage of accessories and battery protector



**Art. No. 4140145**

**HYPRESSO 18/24 Li**

Max. pressure	348 PSI
Max. flow per minute	1.0 GPM
Max. water temperature	40°C
Max. water inlet pressure	72.5 PSI
Product weight	4.6 lbs

\*Recommended for maximum results: 2.5 or 4.0 Ah battery  
 \*Battery and charger sold separately

<sup>1)</sup>	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<sup>2)</sup>	13 min	15 min	27 min	35 min	45 min	55 min
<sup>3)</sup>	7 min	8 min	15 min	18 min	23 min	30 min

<sup>1)</sup> Battery capacity <sup>2)</sup> Max. time in ECO mode <sup>3)</sup> Max. time in BOOST mode

## Pressure Washers - Bare Tools

## 36V 1522 PSI 1.23 GPM CORDLESS PRESSURE WASHER

- » **Brushless motor** - more power and longer runtimes
- » **TWIN-PACK technology:** 2 x 18V Power X-Change batteries required
- » **Powerful and compact** for convenient cleaning
- » **Fast cleaning** of soiled surfaces with 1.23 GPM
- » **Two pressure settings** (ECO/BOOST)
- » **Adjustable 4 jet nozzle**

**Standard Accessories**

- » **Spray gun** with extension for better reach
- » **16.4 ft. suction hose** for water extraction from buckets or lakes with water filter to protect the pump
- » **13 ft. pressure hose**
- » **Cleaning brush, wide jet lance, rotor nozzle lance, water connection with filter insert and cleaning nozzle**



## Water / Garden Pumps - Bare Tools

## 36V CORDLESS WATER PUMP

- » **TWIN-PACK technology:** 2 x 18V Power X-Change batteries required
- » **Water filling screw**
- » **Frost protection** due to water drain screw
- » **Thermal protection**
- » **ON/OFF switch**
- » **2 speed, 2-step ECO/BOOST switch** (ECO up to 90% longer runtime)
- » **High quality mechanical sealing**

**Standard Accessory**

- » **High quality brass discharge side adaptor** (1" female 3/4" 11.5 GHT)



## Water / Garden Pumps - Bare Tools

## 18V CORDLESS CLEAN WATER SUBMERSIBLE PUMP

- » **Mobile splash-proof battery box** with integrated cable winding
- » **3 position switch** with continuous operation
- » **Long 16.4 ft. cable** for greater immersion depth
- » **Powerful motor** generates high flow rate of 1188 Gal/h (19.8 Gal/min)
- » **Extraction of shallow water** down to 0.039"
- » **High-quality pump housing** made of impact-resistant plastic
- » **1" NPT discharge hose connection**
- » **Dry-run safeguard** shutdown after activation if no water is detected


**Standard Accessory**

- » **3/4" 11.5 GHT garden hose adapter**


**Art. No. 4140161**
**HYPRESSO 36/105- BRUSHLESS**

Max. pressure	1522 PSI
Max. flow per minute	1.23 GPM
Max. water temperature	50°C
Pressure settings	2
No load speed	13,900 RPM
Max. water inlet pressure	72.5 PSI
Product weight	12.8 lbs

\*Recommended for maximum results: 2x 4.0 Ah batteries  
\*Batteries and charger sold separately

Art. No. 4140161  
HYPRESSO 36/105



<sup>1)</sup>	⊖ 2.0 Ah	⊖ 2.5 Ah	⊖ 4.0 Ah	⊖ 5.2 Ah	⊖ 6.0 Ah	⊖ 8.0 Ah
<sup>2)</sup>	N/A	N/A	N/A	N/A	N/A	N/A

<sup>1)</sup> Battery capacity <sup>2)</sup> Runtimes not available

**Art. No. 4180403**
**AQUINNA 36/30 Li**

Max. delivery capacity	792 Gal./h (3000 L/h)
Max. delivery height	55.7 / 85.3 ft.
Max. delivery pressure	24.7 / 37.7 PSI
Max. total head	26.2 ft.
Connection intake side	1 - 1/4" ET (1.65")
Connection discharge side	1" IT (1.31")
Product weight	7.2 lbs

\*Recommended for maximum results: 2x 4.0 Ah batteries  
\*Batteries and charger sold separately

Art. No. 4180403  
AQUINNA 36/30 Li



<sup>1)</sup>	⊖ 2.0 Ah	⊖ 2.5 Ah	⊖ 4.0 Ah	⊖ 5.2 Ah	⊖ 6.0 Ah	⊖ 8.0 Ah
<sup>2)</sup>	35 min	47 min	70 min	85 min	100 min	140 min

<sup>1)</sup> Battery capacity <sup>2)</sup> Max. operating time in idle mode

**Optional Accessory**

23 ft. Replacement Suction Hose	Art. No. 4173642
---------------------------------	------------------


**Art. No. 4181565**
**GE-SP 18 LL Li**

Max. flow rate	1,188 Gal/h (19.8 Gal/min)
Max. suction head	26.2 ft.
Max. delivery pressure	11.6 PSI
Max. total head	13.1 ft.
Max. water temperature	35°C
Hose connection & adapter	1" NPT   3/4" 11.5 GHT
Max. size of foreign matter	0.039"
Min. water level at startup	13/64"
Pump protection	6P (IPX8)
Battery box protection	3 (IPX4)
Product weight	4.9 lbs

\*Recommended for maximum results: 4.0 Ah battery  
\*Battery and charger sold separately

Art. No. 4181565  
GE-SP 18 LL Li



<sup>1)</sup>	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<sup>2)</sup>	30 min	35 min	60 min	67 min	70 min	120 min

<sup>1)</sup> Battery capacity <sup>2)</sup> Max. operating time in idle mode



Water / Garden Pumps - Bare Tools

**18V CORDLESS CLEAN/DIRTY WATER SUBMERSIBLE PUMP**

- » 2-in-1 combination pump: clean or dirty water
- » Mobile splash-proof battery box with integrated cable winding
- » 3 position switch with ECO and BOOST modes
- » Long 16.4 ft. cable for greater immersion depth
- » Powerful motor generates high flow rate of 1849 Gal/h (30.8 Gal/min)
- » Up to 1" diameter of foreign matter in dirty water
- » Dry-run safeguard shutdown after activation if no water is detected
- » 1-1/4" NPT discharge hose connection



**Art. No. 4181595**

**GE-DP 18/25 LL Li**

Max. flow rate	1,849 Gal/h (30.8 Gal/min)
Max. suction head	16.4 ft.
Max. delivery pressure	7.3 PSI
Max. total head	13.1 ft.
Max. water temperature	35°C
Hose connection & adapter	1-1/4" NPT   1" NPT & 3/4" GHT
Max. size of foreign matter	1"
Min. water level at startup	3/8"
Pump protection	6P (IPX8)
Battery box protection	3 (IPX4)
Product weight	7.5 lbs

\*Recommended for maximum results: 4.0 Ah battery  
 \*Battery and charger sold separately

Art. No. 4181595  
 GE-DP 18/25 LL Li

**Standard Accessories**

- » 1" NPT & 3/4" GHT garden hose adapters

<sup>1)</sup>	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<sup>2)</sup>	21 min	26 min	42 min	55 min	64 min	85 min

<sup>1)</sup> Battery capacity <sup>2)</sup> Max. operating time in ECO mode

Water / Garden Pumps - Bare Tools

**18V CORDLESS CLEAN WATER RAIN BARREL PUMP**

- » Adjustable telescopic tube for use in rain barrels
- » Flexible swan-neck with hose connection
- » Mobile splash-proof battery box with integrated cable winding
- » Long 16.4 ft. cable for greater immersion depth
- » Powerful motor generates high flow rate of 792.5 Gal/h (13.2 Gal/min)



**Art. No. 4170427**

**GE-PP 18 RB Li**

Max. flow rate (without tube)	792.5 Gal/h (13.2 Gal/min)
Max. flow rate (with tube)	475.5 Gal/h (7.9 Gal/min)
Max. suction head	65.7 ft.
Max. delivery pressure	29 PSI
Max. total head	13.1 ft.
Max. water temperature	35°C
Min. water level at startup	2"
Pump protection	6P (IPX8)
Battery box protection	3 (IPX4)
Product weight	5.5 lbs

\*Recommended for maximum results: 4.0 Ah battery  
 \*Battery and charger sold separately

Art. No. 4170427  
 GE-PP 18 RB Li

**Standard Accessories**

- » 2 x Extension tubes
- » Telescopic tube
- » Flexible hose connector with valve

<sup>1)</sup>	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<sup>2)</sup>	15 min	20 min	30 min	35 min	45 min	60 min

<sup>1)</sup> Battery capacity <sup>2)</sup> Max. operating time in idle mode

Cooler/Warmer - Bare Tool

**18V/120V DC/AC CORDLESS 27 L COOLER / WARMER BOX**

- » 18V battery operation for mobile use
- » Automatically switch to 12V or 120V
- » Adjustable power: ECO or MAX. modes
- » Selectable modes: Cooling and warming function
- » LED battery level indicator directly on the device
- » Side pocket for battery compartment
- » Side pocket for spare battery to extend runtime
- » Large front pocket with zipper for accessories
- » Versatile removable divider grid
- » Built-in bottle opener for standard bottle caps
- » Carry handle for transport and securing the lid
- » Built-in vehicle battery protection for 12V operation



**Art. No. 2048425**

**TE-COL 18/27 Li**

Power	68 Watts
Cooling function (ambient temp.)	-20°C
Warming function	up to 60°C
Energy efficiency class	D
Product weight	12.8 lbs

\*Recommended for maximum results: 4.0 Ah battery  
 \*Battery and charger sold separately

Art. No. 2048425  
 TE-COL 18/27 Li

<sup>1)</sup>	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
<sup>2)</sup>	0.7 - 5.8 hrs	0.8 - 7.2 hrs	1.3 - 11.7 hrs	1.8 - 15 hrs	2 - 17.3 hrs	3 - 23.3 hrs
<sup>3)</sup>	1.5 - 6.7 hrs	1.8 - 8.3 hrs	3 - 13.3 hrs	3.8 - 17 hrs	4.5 - 20 hrs	6 - 26.7 hrs

<sup>1)</sup> Battery capacity <sup>2)</sup> Max. operating time- Cooler <sup>3)</sup> Max. operating time- Warmer

**Standard Accessories**

- » 2x connection cables (1x 12V, 1x 120V)
- » Shoulder strap





**Einhell**  
PROFESSIONAL

**POWER X-CHANGE**

**PROFESSIONAL  
CORDLESS OUTDOOR  
POWER EQUIPMENT**

Lawn & Soil Care / Tree & Shrub Care



**OUR PROMISE  
TO DIY-PROS & PROFESSIONALS**

True Pros always give MORE...  
Because every move has to be perfect.  
Where precision is a must.  
And every second counts.  
They expect tools to give them MORE.  
Now Einhell gives them MORE.

- MORE PERFORMANCE.\***
- MORE ENDURANCE.\***
- MORE WARRANTY.\*\***
- MORE LIFETIME.\***
- MORE FUNCTIONALITY.\***

**MORE POWER  
FOR PROS.**

\*in comparison to carbon brush motors.  
\*\*on Brushless motors upon online registration.

*Professional Lawn Mower Kits with Batteries & Charger(s)*

**36V 17" PROFESSIONAL CORDLESS PUSH LAWN MOWER KIT** (w/ 2x 4.0 Ah Batteries & Charger)

- » Brushless motor - more power, longer runtimes
- » TWIN-PACK technology: 2 x 18V PXC batteries
- » Battery capacity indicator with 3 LEDs
- » Central cutting height adjustment, 6 levels (1" - 3")
- » Space saving storage thanks to foldable long handle
- » Stable and lightweight aluminum-long handle
- » 13.2 Gallon (50 L) grass collection bag with indicator
- » Recommended for lawn areas up to 5920 ft<sup>2</sup>



**Standard Accessories**

- » 2 x 4.0 Ah Power X-Change batteries
- » Dual port charger
- » Mulching adapter

**Art. No. 3413273 RASARRO 36/42 Li BL KIT- BRUSHLESS**

Battery	36V (2 x 18V)   4.0 Ah   Li-Ion
Idle speed	3,400 RPM
Cutting width	17"
Cutting height adjustment	6 Levels   1" - 3"   Central
Collection bag capacity	13.2 Gallon (50 L)
Wheel diameter (front)	6"
Wheel diameter (rear)	8-5/8"
Product weight	37 lbs
*2 x 4.0 Ah batteries, dual port charger and mulching adapter included	
Art. No. 3413273 RASARRO 36/42 Li BL KIT	

	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	3200 ft <sup>2</sup>	3800 ft <sup>2</sup>	5920 ft <sup>2</sup>	7800 ft <sup>2</sup>	9418 ft <sup>2</sup>	11,840 ft <sup>2</sup>

<sup>1)</sup> Battery capacity <sup>2)</sup> Max. workable area

**Optional Accessory**

17" Replacement Lawn Mower Blade	Art. No. 3405457
----------------------------------	------------------

*Professional Lawn Mower Kits with Batteries & Charger(s)*

**36V 21" PROFESSIONAL CORDLESS SELF PROPELLED LAWN MOWER KIT** (w/ 4 x 5.2 Ah Batteries & 2 Chargers)

- » Brushless motor - more power, longer runtimes
- » DOUBLE-TWIN-PACK: 4 battery slots, twice the runtime
- » LED battery charge indicator on the handle
- » 9-level central cutting height adjustment
- » Rear wheel drive with variable speed adjustment
- » 17.2 Gallon (65 L) collection bag with indicator
- » LED light on engine head illuminates mowing area
- » 4-in-1 function: mowing, collecting, mulching and side discharge
- » Recommended for lawn areas up to 12,915 ft<sup>2</sup>



**Standard Accessories**

- » 4 x 5.2 Ah Power X-Change batteries
- » 2 x Dual port chargers
- » Mulching adapter & side ejector adapter

**Art. No. 3413322 GP-CM 36/52 S Li BL KIT- BRUSHLESS**

Battery	36V (2 x 18V)   5.2 Ah   Li-Ion
Idle speed	3,000 RPM
Cutting width	21"
Cutting height adjustment	9 Levels   1" - 3-1/8"   Central
Collection bag capacity	17.2 Gallon (65 L)
Wheel diameter (front)	7-1/2"
Wheel diameter (rear)	10-1/2"
Product weight	65.5 lbs
*4 x 5.2 Ah batteries, 2 x chargers, mulching adapter & side ejector adapter included	
Art. No. 3413322 GP-CM 36/52 S Li BL KIT	

	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	5920 ft <sup>2</sup>	6781 ft <sup>2</sup>	9687 ft <sup>2</sup>	12,915 ft <sup>2</sup>	15,069 ft <sup>2</sup>	17,222 ft <sup>2</sup>

<sup>1)</sup> Battery capacity <sup>2)</sup> Max. workable area (with 4 batteries)

**Optional Accessory**

21" Replacement Lawn Mower Blade	Art. No. 3405981
----------------------------------	------------------

*Professional Pruning / Shrub Shear - Bare Tool*

**18V 2-IN-1 PROFESSIONAL CORDLESS TELESCOPIC POLE PRUNING SHEAR**

- » Brushless motor - more power, longer runtimes
- » For powerful cutting of branches with a thickness up to 1.1"
- » Can be used with or without adjustable telescopic pole
- » High-quality bypass blades for efficient cutting
- » Telescopic pole with 7 step head pivoting adjustment
- » Large metal hook
- » Switch for closing/opening the blade
- » Effortless and easy change of blade
- » Ergonomic softgrip surface



Can be detached and used without the telescopic pole



**Standard Accessories**

- » Handle guard
- » Sturdy plastic blade cover

**Art. No. 3408350 GP-LS 18/28 Li T BL- BRUSHLESS**

Max. cutting capacity (softwood)	1.1"
Max. cutting capacity (hardwood)	0.6"
Telescopic range	3.3 ft. - 5.2 ft.
Product weight	4.4 lbs
*Recommended for maximum results: 4.0 Ah battery	
*Battery and charger sold separately	
Art. No. 3408350 GP-LS 18/28 Li T BL	

	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
	1450 cuts	1830 cuts	2900 cuts	3860 cuts	4350 cuts	5800 cuts

<sup>1)</sup> Battery capacity <sup>2)</sup> Max. cuts in 5/8" round dry beech wood

Professional Chain Saws- Bare Tools

## 18V 8" PROFESSIONAL TOP HANDLE CORDLESS PRUNING CHAIN SAW

- » Brushless motor - more power, longer runtimes
- » OREGON quality bar and chain
- » Tool-free chain tensioning and changing
- » Kickback protection with chain brake
- » Ergonomic softgrip surfaces
- » Large oil filler opening
- » Automatic chain lubrication
- » Chain catcher
- » Tip guard



Art. No. 4600030

FORTEXXA 18/20 TH- BRUSHLESS

Bar length	8"
Cutting speed	276 IPS (7 m/s)
Chain pitch / teeth	3/8"   33
Chain thickness	0.043"
Oil capacity	75 ml
Product weight	5.7 lbs
*Recommended for maximum results: 4.0 Ah battery *Battery and charger sold separately	
Art. No. 4600030 FORTEXXA 18/20 TH	7 72995 01878 9

1)	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
2)	80 pcs	100 pcs	160 pcs	200 pcs	240 pcs	320 pcs

1) Battery capacity 2) Max. cuts (2-3/4" x 2-3/4")

### Optional Accessories

8" Replacement Bar	Art. No. 084MLEA041	7 72995 02145 1
8" Replacement Saw Chain	Art. No. 90PX033X	7 72995 02030 0

Professional Chain Saws- Bare Tools

## 36V 14" PROFESSIONAL CORDLESS CHAIN SAW

- » Brushless motor - more power and longer runtimes
- » TWIN-PACK technology: 2 x 18V Power X-Change batteries required
- » High-quality chain and bar from OREGON
- » Tool-free chain tensioning and changing
- » Kickback protection with chain brake
- » Ergonomic softgrip surfaces
- » Sturdy stop claws made of metal
- » Big filler opening
- » Automatic chain lubrication
- » Chain catch bolt



Art. No. 4501781

GP-LC 36/35 Li- BRUSHLESS

Bar length	14"
Chain cutting speed	590.6 IPS (15 m/s)
Chain pitch / teeth	3/8"   52
Chain thickness	0.043"
Oil tank capacity	115 ml
Product weight	8.8 lbs
*Recommended for maximum results: 4.0 Ah batteries *Batteries and charger sold separately	
Art. No. 4501781 GP-LC 36/35 Li	7 72995 01879 6

1)	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
2)	160 pcs	200 pcs	320 pcs	420 pcs	480 pcs	640 pcs

1) Battery capacity 2) Max. cuts (2-3/4" x 2-3/4")


### Optional Accessories

14" Replacement Bar	Art. No. 144MLEA041	7 72995 02148 2
14" Replacement Saw Chain	Art. No. 90PX052X	7 72995 02032 4

Professional Leaf Blowers/Vacuums/Mulchers - Bare Tools

## 18V 395 CFM PROFESSIONAL CORDLESS LEAF BLOWER

- » Brushless motor - more power and longer runtimes
- » Electronic speed control with practical LED display
- » Turbo switch included - for maximum blowing power
- » Axial impeller technology - optimum performance
- » Tool-free mountable / removable blower tube
- » Balance handle with softgrip for ergonomic operation
- » Integrated wall holder for easy storage
- » Robust metal ring for long lifetime



Art. No. 3433556

GP-LB 18/200 Li E- BRUSHLESS

Max. air volume	395 CFM
Max. air speed	200 km/h
No load speed	13,000 -18,000 RPM
Product weight	4.7 lbs
*Recommended for maximum results: 4.0 Ah battery *Battery and charger sold separately	
Art. No. 3433556 GP-LB 18/200 Li E	7 72995 01845 1

1)	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
2)	5-13 min	8-15 min	15-27 min	18-33 min	20-37 min	30-54 min

1) Battery capacity 2) Max. operating time in idle mode and Turbo mode

Professional Leaf Blowers/Vacuums/Mulchers - Bare Tools

**36V 480 CFM PROFESSIONAL CORDLESS LEAF BLOWER**

- » Brushless motor – more power and longer runtimes
- » TWIN-PACK technology: 2 x 18V Power X-Change batteries required
- » Turbo Boost button for maximum blowing volume
- » Electronic speed control
- » Metal ring at the end of the tube
- » Built-in wall hanger for easy storage
- » Comes with shoulder strap



Art. No. 3433617

GP-LB 36/210 Li E- BRUSHLESS

Max. air volume	480 CFM
Max. air speed	210 km/h
No load speed	10,000 -22,300 RPM
Speed levels	6
Product weight	5.2 lbs

\*Recommended for maximum results: 2 x 4.0 Ah batteries  
\*Batteries and charger sold separately

Art. No. 3433617  
GP-LB 36/210 Li E



Battery capacity <sup>1)</sup>	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
Max. operating time in idle mode <sup>2)</sup>	55 min	63 min	116 min	138 min	165 min	232 min

<sup>1)</sup> Battery capacity <sup>2)</sup> Max. operating time in idle mode

Professional Leaf Blowers/Vacuums/Mulchers - Bare Tools

**36V 3-IN-1 435 CFM PROFESSIONAL CORDLESS LEAF BLOWER/VACUUM/MULCHER**

- » Brushless motor - more power and longer runtimes
- » TWIN-PACK technology: 2 x 18V Power X-Change batteries required
- » Tool-free changeover from blowing and suction function
- » Electronic speed control with LED display and turbo mode
- » Large long-lasting quality collection bag with window for level inspection
- » Integrated shredding function
- » Additional handle and comfortable shoulder strap
- » Softgrip surfaces for non-slip and comfortable work
- » Integrated wall holder for easy storage
- » Removable tube for space-saving storage
- » High blowing air speed up to 240 km/h
- » Strong suction power up to 435 CFM



Art. No. 3433645

VENTURRO 36/240 Li BL- BRUSHLESS

Max. suction power	435 CFM
Max. blowing power	106 CFM
Max. air speed	240 km/h
No load speed	8,000 - 15,000 RPM
Shredding rate	10:1
Collection bag volume	10 Gallon (38 L)
Product weight	12.7 lbs

\*Recommended for maximum results: 2 x 4.0 Ah batteries  
\*Batteries and charger sold separately

Art. No. 3433645  
VENTURRO 36/240 Li BL



Battery capacity <sup>1)</sup>	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
Max. time- Vacuuming leaves <sup>2)</sup>	9-23 min	10-27 min	17-46 min	21-56 min	27-70 min	34-92 min
Max. time- Blowing leaves <sup>3)</sup>	9-25 min	10-28 min	18-49 min	21-58 min	28-74 min	36-98 min

<sup>1)</sup> Battery capacity <sup>2)</sup> Max. time- Vacuuming leaves <sup>3)</sup> Max. time- Blowing leaves

Professional Auger - Bare Tool

**18V 6" PROFESSIONAL CORDLESS AUGER**

- » Brushless motor - more power and longer runtimes
- » Metal frame - maximum stability and torsional stiffness
- » 3 different modes: counterclockwise, clockwise: ECO & HIGH POWER
- » Earth auger (31-1/2" length / 6" diameter) included
- » Durable and robust gearbox integrated in aluminum housing
- » Double handle with softgrip



Art. No. 3437015

GP-EA 18/150 Li BL- BRUSHLESS

Max. speed	125 RPM
Earth auger bit diameter	6"
Earth auger bit length	31-1/2"
Product weight	13.2 lbs

\*Recommended for maximum results: 4.0 Ah battery  
\*Battery and charger sold separately

Art. No. 3437015  
GP-EA 18/150 Li BL



Battery capacity <sup>1)</sup>	2.0 Ah	2.5 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
Drilling in soft ground- 15-3/4" deep <sup>2)</sup>	15 holes	20 holes	40 holes	50 holes	60 holes	80 holes

<sup>1)</sup> Battery capacity <sup>2)</sup> Drilling in soft ground- 15-3/4" deep

Optional Accessories

4-3/4" Earth Auger Bit	Art. No. 3437016	
------------------------	------------------	--

39-3/8" Auger Shaft Extension	Art. No. 3437018	
-------------------------------	------------------	--

5" Mortar Mixer	Art. No. 3437017	
-----------------	------------------	--

8" Ice Auger Bit	Art. No. 3437019	
------------------	------------------	--

Batteries, Chargers, Starter Kits & Battery Accessories

**POWER X-CHANGE BATTERIES**



Art. No. 4511480  
2.0 Ah 18V Power X-Change Battery  
7 72995 01791 1



Art. No. 4511603  
2 x 4.0 Ah 18V Power X-Change Battery Kit  
7 72995 01794 2



Art. No. 4511903  
2.5 Ah 18V Power X-Change Battery  
7 72995 01873 4



Art. No. 4511904  
4.0 - 6.0 Ah 18V Power X-Change Battery  
7 72995 01793 5



Art. No. 4511481  
4.0 Ah 18V Power X-Change Battery  
7 72995 02034 8



Art. No. 4511609  
5.0 - 8.0 Ah 18V Power X-Change Battery  
7 72995 01966 3



Art. No. 4511499  
5.2 Ah 18V Power X-Change Battery  
7 72995 01792 8

**POWER X-CHANGE CHARGERS**



Art. No. 4512080  
18V 30 min PXC Single Port Charger  
7 72995 01795 9



Art. No. 4512156  
18V Power X-Boostcharger  
7 72995 01955 7



Art. No. 4512090  
18V 30 min PXC Dual Port Charger  
7 72995 01796 6



Art. No. 4512122  
18V 2 x 2 PXC 4 Port Fast Charger  
7 72995 01954 0

**POWER X-CHANGE BATTERY & CHARGER STARTER KITS**



Art. No. 4512131  
2.5 Ah 18V PXC Battery & Charger Starter Kit  
7 72995 01797 3



Art. No. 4512132  
4.0 Ah 18V PXC Battery & Charger Starter Kit  
7 72995 01798 0



Art. No. 4512133  
2 x 4.0 Ah 18V PXC Battery & Charger Starter Kit  
7 72995 01839 0

**POWER X-CHANGE BATTERY ACCESSORIES**



Art. No. 4514142  
18V USB Battery Adaptor  
7 72995 01785 0



Art. No. 4514156  
Einhell PXC Battery Wall Mounts  
7 72995 01837 6





**POWER X-CHANGE**



**ONE BATTERY FOR  
MAXIMUM PERFORMANCE.**



Head Office  
700 Meloche, Dorval, Quebec H9P 2Y4  
Tel: (514) 636-5464 | Fax: (514) 636-5474



Official Tool Expert

**AMG  
PETRONAS**  
FORMULA ONE TEAM